

**POWERFUL IN LIGHTING,
SOUND AND STAGE
SOLUTIONS**

Audiovisual, Audio, Entertainment Lighting, Architectural
Light, Special Effects, Stage & Rigging, Bags & Cases



ESCENARIO Y RIGGING

showtec

&infinity

DMT
DIGITAL MEDIA TECHNOLOGY

DAP

ARTECTA

SHOW
GEAR

WENTEX
CREATIVE LIGHTING SOLUTIONS

Stage and rigging equipment: necessities and finishing touches

Stage and rigging equipment is more than just functional - it provides essential safety and security for stages, events, trade shows, theatres and video productions. Not only does it ensure that your event runs smoothly and safely, but it also catches the eye of the audience and brings convenience to your setup.

Before you decide what you need, it is important to consider all the aspects and requirements of your event. Whether you are building stages, supporting trade shows or productions, or advising on location set-ups, it is vital to understand the equipment and hardware required.

That's why we're here to help. Our catalogue offers a comprehensive range of stage essentials and rigging equipment. From trussing and rigging supplies to textiles and stage accessories, our products are designed to help you create a safe and practical stage, prepare a tidy venue and ensure that every aspect of your event runs smoothly.

Browse our product selection and let us help you take your event to the next level with our high quality stage and rigging products.



Stage and rigging equipment: necessities and finishing touches

Stage Accessories - Page 596

Truss & SET Frame - Page 605

Rigging - Page 630

Textiles - Page 642



Staging & Accessories - Stages



Mammoth Stage

70610 1 x 1 m - without legs

SHOWGEAR

Specifications:

Length (mm): 1000 mm
Height (mm): 55 mm
Width (mm): 1000 mm
Max. Load/m²: 500 kg/m²
Weight: 12.1 kg
Deck: 12 mm Plywood
Frame: Aluminium
Material: Aluminium / Plywood



Mammoth Stage

70620 2 x 1 m - without legs

SHOWGEAR

Specifications:

Length (mm): 2000 mm
Height (mm): 55 mm
Width (mm): 1000 mm
Max. Load/m²: 500 kg/m²
Weight: 22 kg
Deck: 12 mm Plywood
Frame: Aluminium
Material: Aluminium / Plywood



Mammoth Stage Legs 1 x 1 m

SHOWGEAR

70611 20 cm

70612 40 cm

70613 60 cm



Mammoth Stage Clamp

SHOWGEAR

70630



Mammoth Stage Self-leveling Insert

SHOWGEAR

70637



Mammoth Stage Assembly Insert

SHOWGEAR

70638 M10



Mammoth Dex

70650 1 x 1 m - without legs

SHOWGEAR

Specifications:

Length (mm): 1000 mm
Height (mm): 90 mm
Width (mm): 1000 mm
Max. Load/m²: 750 kg/m²
Weight: 19.6 kg
Deck: 12 mm Plywood
Frame: Aluminium
Material: Aluminium / Plywood



Mammoth Dex

70651 2 x 1 m - without legs

SHOWGEAR

Specifications:

Length (mm): 2000 mm
Height (mm): 90 mm
Width (mm): 1000 mm
Max. Load/m²: 750 kg/m²
Weight: 32.5 kg
Deck: 12 mm Plywood
Frame: Aluminium
Material: Aluminium / Plywood





Mammoth Dex

70652 1 x 0.5 m - without legs

SHOWGEAR

Specifications:

Length (mm):	1000 mm
Height (mm):	90 mm
Width (mm):	500 mm
Max. Load/m²:	750 kg/m²
Weight:	12.1 kg
Deck:	12 mm Plywood
Frame:	Aluminium
Material:	Aluminium / Plywood



Mammoth Dex

70655 1.5 x 0.5 m - without legs

SHOWGEAR

Specifications:

Length (mm):	1500 mm
Height (mm):	90 mm
Width (mm):	500 mm
Max. Load/m²:	750 kg/m²
Weight:	16.5 kg
Deck:	12 mm Plywood
Frame:	Aluminium
Material:	Aluminium / Plywood



Mammoth Dex

70653 2 x 0.5 m - without legs

SHOWGEAR

Specifications:

Length (mm):	2000 mm
Height (mm):	90 mm
Width (mm):	500 mm
Max. Load/m²:	750 kg/m²
Weight:	18.8 kg
Deck:	12 mm Plywood
Frame:	Aluminium
Material:	Aluminium / Plywood



Mammoth Dex

70654 1 m Quadrant - without legs

SHOWGEAR

Specifications:

Length (mm):	1000 mm
Height (mm):	90 mm
Width (mm):	1000 mm
Max. Load/m²:	750 kg/m²
Weight:	14.9 kg
Deck:	12 mm Plywood
Frame:	Aluminium
Material:	Aluminium / Plywood



Mammoth Stairs Dex

70640 Adjustable 60–100 cm - 4 steps

SHOWGEAR

Specifications:

Length (mm):	1375.1 mm
Height (mm):	600 mm
Min. Height (mm):	600 mm
Max. Height (mm):	1150 mm
Width (mm):	750 mm
Weight:	29.94 kg
Deck:	12 mm Plywood
Frame:	Metal
Material:	Aluminium / Plywood / Steel



Mammoth Dex Guard Rail


SHOWGEAR

- 70642B** 1 m - black
- 70643B** 2 m - black
- 70642** 1 m - aluminium
- 70643** 2 m - aluminium




Mammoth Dex Guard Rail XS Aluminium

- 70646** Xtra-Safe - 1 m
- 70647** Xtra-Safe - 2 m



Mammoth Dex Stairs Guard Rail

70641 for adjustable Mammoth Stairs



Staging & Accessories - Stages

Mammoth Dex Leg

SHOWGEAR

- 70660 20 cm
- 70661 40 cm
- 70662 60 cm
- 70663 80 cm
- 70664 100 cm
- 70677 140 cm



Mammoth Dex Telescopic Leg

SHOWGEAR

- 70665 40-60 cm
- 70666 60-100 cm
- 70678 100-180 cm



Mammoth Dex Ramp

- 70686 46-64 cm
- 70687 60-80 cm
- 70688 120-140 cm



SHOWGEAR

Mammoth Dex Curtain Skirting Profile

- 70684 97.5 cm
- 70685 197.5 cm



SHOWGEAR

Mammoth Dex Leg Bracing

- 70675 For 1 m side of Mammoth Dex
- 70676 For 2 m side of Mammoth Dex



SHOWGEAR

Mammoth Dex Leg on Swiveling Wheel

- 70667 25 cm
- 70668 40 cm



SHOWGEAR

Mammoth Dex Bottom Clamp

70636



SHOWGEAR

Mammoth Guard Rail Clamp

70632



SHOWGEAR

Mammoth Two Leg Clamp

70658



SHOWGEAR

Mammoth Four Leg Clamp

70659



SHOWGEAR

Mammoth Dex Guard Rail XS Corner Clamp

70649 Xtra-Safe



SHOWGEAR

Mammoth Dex Guard Rail Clamp

70644



SHOWGEAR

Mammoth Dex Guard Rail Coupler

70645



SHOWGEAR

Mammoth-D Guard Rail XS Straight Clamp

70648 Xtra-Safe



SHOWGEAR




Mammoth Transport Trolley

70680 for 10x Mammoth Stage/Dex

SHOWGEAR

Specifications:

Length (mm):	2150 mm
Height (mm):	1150 mm
Width (mm):	1020 mm
Weight:	48.55 kg
Frame:	Metal
Material:	Steel



Mammoth Transport Trolley

70681 for 6x Mammoth Stage/Dex

SHOWGEAR

Specifications:

Length (mm):	2150 mm
Height (mm):	1154 mm
Width (mm):	615 mm
Weight:	33 kg
Frame:	Metal
Material:	Steel





Mammoth Stage/Dex Transport Trolley

70682 for guard rails

SHOWGEAR

Specifications:

Length (mm):	2150 mm
Height (mm):	1515 mm
Width (mm):	1020 mm
Weight:	55.1 kg
Frame:	Metal
Material:	Steel



Mammoth Transport Flexy Trolley

70683 for 6x Mammoth Stage/Dex

SHOWGEAR

Specifications:

Length (mm):	1200 mm
Height (mm):	1050 mm
Width (mm):	800 mm
Weight:	32.2 kg
Frame:	Metal
Material:	Steel



Mammoth Stop Bar

70670 1 m - for Mammoth Stage and Dex System


70671 2 m - for Mammoth Stage and Dex System

SHOWGEAR

Specifications:

Length (mm):	1000 mm
Height (mm):	154 mm

Width (mm):	30 mm
Weight:	1.32 kg
Material:	Aluminium



Mammoth Stairs Stage/Dex

70634 60 cm - 1 step

70635 80 cm - 1 step

SHOWGEAR

Specifications:

Height (mm):	600 mm
Width (mm):	990 mm
Depth (mm):	350 mm
Weight:	12.2 kg
Deck:	12 mm Plywood
Frame:	Metal
Material:	Aluminium / Plywood / Steel



Mammoth Guard Rail Stage/Dex

70631 1 m - without clamps

SHOWGEAR

Specifications:

Length (mm):	880 mm
Height (mm):	1190 mm
Width (mm):	880 mm
Depth (mm):	42 mm
Weight:	4.54 kg
Material:	Steel



Staging & Accessories - Stages



Mammoth Stairs Stage/Dex

70639 20 cm - 1 step

SHOWGEAR

Specifications:

Height (mm): 200 mm
Width (mm): 990 mm
Depth (mm): 350 mm
Weight: 10.8 kg
Deck: 12 mm Plywood
Frame: Metal
Material: Aluminium / Plywood / Steel



Mammoth Stairs Stage/Dex

70633 40 cm - 2 steps

SHOWGEAR

Specifications:

Height (mm): 400 mm
Width (mm): 990 mm
Depth (mm): 675 mm
Weight: 19.7 kg
Deck: 12 mm Plywood
Frame: Metal
Material: Aluminium / Plywood / Steel



Staging & Accessories - Cable Bridges

Cable Cover 1

71121 With 1 channel - black rubber



SHOWGEAR

Cable Cover 3

71130 With 1 channel - yellow ABS



SHOWGEAR

Cable Cover 4

71131 With 1 channel - yellow ABS



SHOWGEAR

Cable Bridge 2 100 cm

71140 With 2 channels - value line



SHOWGEAR

Cable Bridge 2 100 cm

71102 With 2 channels



SHOWGEAR

Cable Bridge 2 Corner 45°

71142 Right Corner - 2 channels - for Cable Bridge 2



SHOWGEAR

Cable Bridge 2 Corner 45°

71143 Left Corner - 2 channels - for Cable Bridge 2



SHOWGEAR

Cable Bridge 2 Corner 30°

71110 With 2 channels - for cable Bridge 2



SHOWGEAR

Cable Bridge 3 100 cm

71141 With 3 channels - value line



SHOWGEAR

Cable Bridge 5 85 cm

71104 With 5 channels





SHOWGEAR


Crowd Control - Staging & Accessories

2 m Adjustable Crowd Barrier 90000 Silver  SHOWGEAR	2 m Adjustable Crowd Barrier PRO 90003 Black  SHOWGEAR	2 m Adjustable Crowd Barrier PRO 90002 Silver  SHOWGEAR	Sign Holder for Barrier Black 90013 Outside sign dimensions - 32 x 22 cm  SHOWGEAR
2 m Adjustable Crowd Barrier E708901 Set - black  SHOWGEAR	2 m Adjustable Crowd Barrier PRO E708903 Set - black  SHOWGEAR		

Stage Tapes - Staging & Accessories

Gaffa Tape Neon 90649 Green - 19 mm / 25 m  SHOWGEAR	Gaffa Tape Neon 90680 Orange - 19 mm / 25 m  SHOWGEAR	Gaffa Tape Neon 90681 Yellow - 19 mm / 25 m  SHOWGEAR	Gaffa Tape Neon 90682 Pink - 19 mm / 25 m  SHOWGEAR
Gaffa Tape Neon 90638 Green - 50 mm / 25 m  SHOWGEAR	Gaffa Tape Neon 90639 Orange - 50 mm / 25 m  SHOWGEAR	Gaffa Tape Neon 90640 Yellow - 50 mm / 25 m  SHOWGEAR	Gaffa Tape Neon 90641 Pink - 50 mm / 25 m  SHOWGEAR
Gaffa Tape 90632 Green - 50 mm / 50 m  NICHIBAN	Gaffa Tape 90630 Red - 50 mm / 50 m  NICHIBAN	Gaffa Tape 90631 Yellow - 50 mm / 50 m  NICHIBAN	Gaffa Tape 90633 Blue - 50 mm / 50 m  NICHIBAN
Gaffa Tape 90636 Green - 38 mm / 50 m  NICHIBAN	Gaffa Tape 90634 Red - 38 mm / 50 m  NICHIBAN	Gaffa Tape 90635 Yellow - 38 mm / 50 m  NICHIBAN	Gaffa Tape 90637 Blue - 38 mm / 50 m  NICHIBAN

Staging & Accessories - Stage Tapes

Gaffa Tape 90616 White - 19 mm / 50 m  NICHIBAN	Gaffa Tape 90644 Black - 25 mm / 50 m  NICHIBAN	Gaffa Tape Stage 90609B Black - 50 mm / 50 m  SHOWGEAR	Gaffa Tape 90621 Black - 150 mm / 50 m - extra wide heavy duty  NICHIBAN
Marker / Indicator Tape 90629U Blue "5 m" - 25 mm / 33 m  SHOWGEAR	Marker / Indicator Tape 90629R Red "10 m" - 25 mm / 33 m  SHOWGEAR	Marker / Indicator Tape 90629W White "15 m" - 25 mm / 33 m  SHOWGEAR	Marker / Indicator Tape 90629Y Yellow "20 m" - 25 mm / 33 m  SHOWGEAR
Marker / Indicator Tape 90629G Green "25 m" - 25 mm / 33 m  SHOWGEAR	Ballet Floor Tape 90617 Black - 50 mm / 33 m  SHOWGEAR	Floor-Marking Tape 90623 Black - yellow - 50 mm / 33 m  SHOWGEAR	Floor-Marking Tape 90622 Black - yellow - 150 mm / 33 m  SHOWGEAR
Floor-Marking Tape 90624 Red - White - 50 mm / 33 m  SHOWGEAR	MegaTape UT4 90677 Black - 19 mm / 20 m  MEANWELL	MegaTape UT4 90678 Grey - 19 mm / 20 m  MEANWELL	MegaTape UT4 90679 White - 19 mm / 20 m  MEANWELL
PVC Insulation tape 52100 95003 Black - 19 mm / 10 m  HPX	PVC Insulation tape 52100 95000 Black - 19 mm / 20 m  HPX	PVC Insulation tape 52100 95001 Grey - 19 mm / 20 m  HPX	PVC Insulation tape 52100 95002 White - 19 mm / 20 m  HPX
PVC Tape 90628 Black - 19 mm / 66 m 90628U Blue - 19 mm / 66 m 90628O Orange - 19 mm / 66 m 90628R Red - 19 mm / 66 m 90628W White - 19 mm / 66 m 90628Y Yellow - 19 mm / 66 m  SHOWGEAR	Gaffa Tape 90625 Black - 50 mm / 25 m 90626 Grey - 50 mm / 25 m 90627 White - 50 mm / 25 m  NICHIBAN		

Stage Tapes - Staging & Accessories

Gaffa Tape

NICHIBAN

- 90611** Black - 50 mm / 50 m
- 90610** Grey - 50 mm / 50 m
- 90612** White - 50 mm / 50 m



Gaffa Tape

NICHIBAN

- 90614** Black - 38 mm / 50 m
- 90613** Grey - 38 mm / 50 m
- 90615** White - 38 mm / 50 m



Gaffa Tape Theatre

SHOWGEAR

- 90607** Black - 50 mm / 50 m
- 90606** Grey - 50 mm / 50 m
- 90608** White - 50 mm / 50 m



Roady Tools & Accessories - Staging & Accessories



Rain Cover 45 cm

71315 Sleeve not included

SHOWGEAR

Specifications:

Height (mm):	100 mm
Diameter:	450 mm
Weight:	4 kg
Max. Load:	50 kg



Rain Cover 60 cm

71310 Sleeve not included

SHOWGEAR

Specifications:

Height (mm):	100 mm
Diameter:	600 mm
Weight:	5.8 kg
Max. Load:	50 kg



Rain Cover Transport Trolley

71309 for 7x Rain Cover 60 cm

SHOWGEAR

Specifications:

Length (mm):	600 mm
Height (mm):	800 mm
Width (mm):	1795 mm
Weight:	44 kg



Separate Sleeve for Rain Cover Ø 45 cm

71316 Sleeve length 40 cm

SHOWGEAR

Specifications:

Diameter:	450 mm
Weight:	0.8 kg

Separate Sleeve for Rain Cover Ø 60 cm

71311 Sleeve length 35 cm

71312 Sleeve length 50 cm

71313 Sleeve length 65 cm

SHOWGEAR

Specifications:

Diameter:	550 mm
Weight:	0.9 kg



Rain Dome 40

- 71325** Moving Head Rain Dome
- 71326** Cylindrical sleeve - Ø 40 cm - 52 cm high

SHOWGEAR

Specifications:

Height (mm):	184 mm	Pwr. Conn. In.:	Power Pro True
Width (mm):	480 mm	Pwr. Conn. Out.:	Power Pro Grey / Power Pro True / Schuko Socket
Diameter:	400 mm	Rigging Options:	Flying
Weight:	9.5 kg	Rigging Eye Thread:	M12
Max. Load:	40 kg	Incl. Acc.:	None

FEATURES:

- Ø 40 cm Rain Cover for standard moving heads
- Built-in pressure switch
- Bypass switch
- Pro Power, Pro Power True and Schuko input connectors
- All three input connectors can be used at the same time
- Ability to mount truss spigots to make a totem
- Sleeve (52 cm high) not included



Rain Dome 60

- 71320** Moving Head Rain Dome
- 71321** Cylindrical sleeve - Ø 60 cm - 62 cm high
- 71322** Dome sleeve - Ø 60 cm - 85 cm high

SHOWGEAR

Specifications:

Height (mm):	184 mm	Pwr. Conn. In.:	Power Pro True
Width (mm):	685 mm	Pwr. Conn. Out.:	Power Pro Grey / Power Pro True / Schuko Socket
Diameter:	600 mm	Rigging Options:	Flying
Weight:	14.2 kg	Rigging Eye Thread:	M12
Max. Load:	40 kg	Incl. Acc.:	None

FEATURES:

- Ø 60 cm Rain Cover for standard moving heads
- Two sleeve heights (62/85 cm) available but not included
- Built-in pressure switch
- Bypass switch
- Pro Power, Pro Power True and Schuko output connectors
- All three output connectors can be used at the same time
- Ability to mount truss spigots to make a totem



Stage Tool

73001

INFINITY

Specifications:

Length (mm):	180 mm	Weight:	0.6 kg
Width (mm):	55 mm		



Single Tube - Truss & SET Frame



F Truss - Single Tube incl. 1x female receiver - black MILOS

Product code	Length (m)	Main Tube Ø
FP50025B	0.25 m	50 x 2 mm
FP50050B	0.5 m	50 x 2 mm
FP50100B	1 m	50 x 2 mm
FP50200B	2 m	50 x 2 mm
FP50300B	3 m	50 x 2 mm

G Truss - Single Tube incl. 1x female receiver - black MILOS

Product code	Length (m)	Main Tube Ø
GP50025B	0.25 m	50 x 2 mm
GP50050B	0.5 m	50 x 2 mm
GP50100B	1 m	50 x 2 mm
GP50200B	2 m	50 x 2 mm
GP50300B	3 m	50 x 2 mm

P Truss - Single Tube incl. 1x female receiver - black MILOS

Product code	Length (m)	Main Tube Ø
PP50025B	0.25 m	50 x 2 mm
PP50050B	0.5 m	50 x 2 mm
PP50100B	1 m	50 x 2 mm
PP50200B	2 m	50 x 2 mm
PP50300B	3 m	50 x 2 mm



F Truss - Single Tube incl. 1x female receiver - silver MILOS

Product code	Length (m)	Main Tube Ø
FP50025	0.25 m	50 x 2 mm
FP50050	0.5 m	50 x 2 mm
FP50100	1 m	50 x 2 mm
FP50200	2 m	50 x 2 mm
FP50300	3 m	50 x 2 mm

G Truss - Single Tube incl. 1x female receiver - silver MILOS

Product code	Length (m)	Main Tube Ø
GP50025	0.25 m	50 x 2 mm
GP50050	0.5 m	50 x 2 mm
GP50100	1 m	50 x 2 mm
GP50200	2 m	50 x 2 mm
GP50300	3 m	50 x 2 mm

P Truss - Single Tube incl. 1x female receiver - silver MILOS

Product code	Length (m)	Main Tube Ø
PP50025	0.25 m	50 x 2 mm
PP50050	0.5 m	50 x 2 mm
PP50100	1 m	50 x 2 mm
PP50200	2 m	50 x 2 mm
PP50300	3 m	50 x 2 mm



Specifications:

- F-truss compatible with Prolyte systems (Ø 27.8 mm)
- G-truss compatible with Global & Euro systems (Ø 29.0 mm)
- P-truss compatible with standard Milos truss systems (Ø 29.8 mm)

Deco Triangle - Truss & SET Frame

Metal Deco-20 Triangle - Corner

SHOWGEAR

MDT20003 90° Corner



Metal Deco-20 Triangle - Corner down right - apex up

SHOWGEAR

MDT20010 90° Corner



Metal Deco-20 Triangle - T-Cross - 3-way horizontal

SHOWGEAR

MDT20017 90° Corner



Metal Deco-20 Triangle - Straight

SHOWGEAR


MDT20050 500 mm
MDT20100 1000 mm
MDT20150 1500 mm



Deco-22 Triangle Truss - Corner

MILOS

DT22001 ACM19 - 45° corner




A = 800 mm

Deco-22 Triangle Truss - Corner

MILOS

DT22002 ACM20 - 60° corner



A = 600 mm


Truss & SET Frame - Deco Triangle

Deco-22 Triangle Truss - Corner

MILOS

DT22003 ACM21 - 90° corner

A = 400 mm




Deco-22 Triangle truss - apex up

MILOS

DT22006 ACM24 - 90° corner

A = 400 mm

B = 400 mm




Deco-22 Triangle truss - apex down

MILOS

DT22007 ACM25 - 90° corner

A = 400 mm

B = 400 mm



Deco-22 Triangle truss - down left, apex up


MILOS

DT22011 ALM32 - 90° corner

A = 400 mm

B = 400 mm

C = 400 mm



Deco-22 Triangle truss - down right - apex down


MILOS

DT22012 ALM33 - 90° corner

A = 400 mm

B = 400 mm

C = 400 mm



Deco-22 Triangle truss - down left - apex down


MILOS

DT22013 ALM34 - 90° corner

A = 400 mm

B = 400 mm

C = 400 mm




Deco-22 Triangle truss - 4-way horizontal

MILOS

DT22016 ACM41 - 90° corner

A = 578 mm

B = 578 mm




Deco-22 Triangle truss - 3-way horizontal

MILOS

DT22017 ATM36 - 90° corner

A = 578 mm

B = 400 mm




Deco-22 Triangle truss - T-Cross vertical 3-way - apex down

MILOS

DT22018 ATM35 - 90° corner

A = 578 mm

B = 400 mm



Deco-22 Triangle truss - T-Cross + up/down 5-way


MILOS

DT22021 ATM51 - 90° corner

A = 578 mm

B = 400 mm

C = 603.5 mm



Deco-22 Triangle truss - Cross up/down 6-way


MILOS

DT22022 ACM61 - 90° corner

A = 578 mm

B = 400 mm

C = 603.5 mm




Deco-22 Triangle truss - T-Cross up/down 3-way

MILOS

DT22023 ATM37 - 90° corner

A = 603.5 mm

B = 400 mm




Deco Triangle - Truss & SET Frame

Deco-22 Triangle truss - Cross + down 5-way - apex down

MILOS

DT22024 ACM53 - 90° corner

A = 578 mm
B = 578 mm
C = 400 mm




Deco-22 Triangle truss - Cross + down 5-way - apex up

MILOS

DT22025 ACM52 - 90° corner

A = 578 mm
B = 578 mm
C = 400 mm



Deco-22 Triangle Truss - Straight

MILOS

DT22050 STM500 - 500 mm
DT22100 STM1000 - 1000 mm
DT22150 STM1500 - 1500 mm
DT22200 STM2000 - 2000 mm
DT22250 STM2500 - 2500 mm
DT22300 STM3000 - 3000 mm
DT22400 STM4000 - 4000 mm




Deco Square - Truss & SET Frame

Deco-22 Quatro Truss - Corner

MILOS

DQ22003 QCM21 - 90° corner

A = 400 mm




Deco-22 Quatro Truss - Corner

MILOS

DQ22005 QCM23 - 135° corner

A = 400 mm




Deco-22 Quatro Truss - Corner

MILOS

DQ22012 QLM30 - 90° corner - 3-way

A = 400 mm
B = 400 mm
C = 400 mm



Deco-22 Quatro Truss - Straight

MILOS

DQ22050 QTM500 - 500 mm
DQ22100 QTM1000 - 1000 mm
DQ22150 QTM1500 - 1500 mm
DQ22200 QTM2000 - 2000 mm
DQ22250 QTM2500 - 2500 mm
DQ22300 QTM3000 - 3000 mm
DQ22400 QTM4000 - 4000 mm




Truss & SET Frame - Pro-30 Step

Pro-30 Step F Truss - Corner

MILOS

FS30003H HF21 - 90° corner - horizontal - F




A = 500 mm

Pro-30 Step F Truss - Corner

MILOS

FS30003V VF21 - 90° corner - vertical - F




A = 500 mm

Pro-30 Step F Truss - T-Cross

MILOS

FS30017H HF35 - 90° corner - horizontal - F




A = 710 mm B = 500 mm

Pro-30 Step F Truss - T-Cross

MILOS

FS30017V VF36 - 90° corner - vertical - F




A = 710 mm B = 500 mm

Pro-30 Step P Truss - Corner

MILOS

PS30003H HB21 - 90° corner - horizontal - P




A = 500 mm

Pro-30 Step P Truss - Corner

MILOS

PS30003V VB21 - 90° corner - vertical - P




A = 500 mm

Pro-30 Step P Truss - Cross

MILOS

PS30017V VB36 - 90° corner - vertical - P




A = 710 mm B = 500 mm

Pro-30 Step P Truss - Cross

MILOS

PS30017H HB35 - 90° corner - horizontal - P



A = 710 mm B = 500 mm

Pro-30 Step F Truss - Straight

MILOS

Product code	Length (m)	Main Tube Ø
FS30050	0.5 m	50 x 2 mm
FS30100	1 m	50 x 2 mm
FS30150	1.5 m	50 x 2 mm
FS30200	2 m	50 x 2 mm
FS30250	2.5 m	50 x 2 mm
FS30300	3 m	50 x 2 mm
FS30400	4 m	50 x 2 mm

Pro-30 Step G Truss - Straight

MILOS

Product code	Length (m)	Main Tube Ø
GS30050	0.5 m	50 x 2 mm
GS30100	1 m	50 x 2 mm
GS30150	1.5 m	50 x 2 mm
GS30200	2 m	50 x 2 mm

Pro-30 Step P Truss - Straight

MILOS

Product code	Length (m)	Main Tube Ø
PS30050	0.5 m	50 x 2 mm
PS30100	1 m	50 x 2 mm
PS30150	1.5 m	50 x 2 mm
PS30200	2 m	50 x 2 mm
PS30250	2.5 m	50 x 2 mm
PS30300	3 m	50 x 2 mm
PS30400	4 m	50 x 2 mm

Specifications:


- F-truss compatible with Prolyte systems (Ø 27.8 mm)
- G-truss compatible with Global & Euro systems (Ø 29.0 mm)
- P-truss compatible with standard Milos truss systems (Ø 29.8 mm)



Pro-30 Triangle Truss - Cross 4-way - 50 cm

MILOS

- FT30041** ACF41sp - 90° corner - silver - F
GT30041 ACU41sp - 90° corner - silver - G
PT30041 ACB41sp - 90° corner - silver - P



A = 710 mm B = 710 mm

Pro-30 Triangle Truss - T-Cross vertical 3-way - apex down - 50 cm

MILOS

- FT30035** ATF35sp - 90° corner - silver - F
GT30035 ATU35sp - 90° corner - silver - G
PT30035 ATB35sp - 90° corner - silver - P




A = 500 mm B = 500 mm

Pro-30 Triangle Truss - T-Cross vertical - 3-way - apex up - 50 cm

MILOS

- FT30037** ATF35Bsp - 90° corner - silver - F
GT30037 ATU35Bsp - 90° corner - silver - G
PT30037 ATB35Bsp - 90° corner - silver - P




A = 500 mm B = 500 mm

Pro-30 Triangle Truss - Corner up/down - right - 50 cm

MILOS

- FT30044** ACF44sp - 90° corner - silver - F
GT30044 ACU44sp - 90° corner - silver - G
PT30044 ACB44sp - 90° corner - silver - P




A = 500 mm B = 500 mm
 C = 500 mm

Pro-30 Triangle Truss - Corner up/down - left - 50 cm

MILOS

- FT30045** ACF45sp - 90° corner - silver - F
GT30045 ACU45sp - 90° corner - silver - G
PT30045 ACB45sp - 90° corner - silver - P



A = 500 mm C = 500 mm
 B = 500 mm

Pro-30 Triangle Truss - 3-way horizontal - 50 cm

MILOS

- FT30036** ATF36sp - 90° corner - silver - F
GT30036 ATU36sp - 90° corner - silver - G
PT30036 ATB36sp - 90° corner - silver - P



A = 500 mm B = 500 mm

Pro-30 Triangle Truss - T-Cross vertical - 3-way - apex down - 50 cm

MILOS

- FT30038** ATF37sp - 90° corner - silver - F
GT30038 ATU37sp - 90° corner - silver - G
PT30038 ATB37sp - 90° corner - silver - P




A = 500 mm B = 500 mm

Pro-30 Triangle Truss - T-Cross + down 4-way - 50 cm

MILOS

- FT30042** ATF42sp - 90° corner - silver - F
GT30042 ATU42sp - 90° corner - silver - G
PT30042 ATB42sp - 90° corner - silver - P




A = 500 mm B = 500 mm
 C = 500 mm

Pro-30 Triangle Truss - T-Cross + up/down 5-way - 50 cm

MILOS

- FT30051** ATF51sp - 90° corner - silver - F
GT30051 ATU51sp - 90° corner - silver - G
PT30051 ATB51sp - 90° corner - silver - P



A = 500 mm B = 500 mm
 C = 742 mm

Pro-30 Triangle Truss - Cross + down 5-way - apex up - 50 cm

MILOS

- FT30052** ACF52sp - 90° corner - silver - F
GT30052 ACU52sp - 90° corner - silver - G
PT30052 ACB52sp - 90° corner - silver - P



A = 500 mm B = 500 mm
 C = 500 mm

Pro-30 Square Truss - Cross + Down 5-way - 50 cm

MILOS

- FT30053** ACF53sp - 90° corner - silver - F
GT30053 ACU53sp - 90° corner - silver - G
PT30053 ACB53sp - 90° corner - silver - P




A = 500 mm B = 500 mm
 C = 500 mm

Pro-30 Triangle Truss - Cross up/down 6-way - 50 cm

MILOS

- FT30061** ACF61sp - 90° corner - silver - F
GT30061 ACU61sp - 90° corner - silver - G
PT30061 ACB61sp - 90° corner - silver - P




A = 710 mm B = 710 mm
 C = 500 mm

Truss & SET Frame - Pro-30 Step

Pro-30 Triangle G Truss - Corner

MILOS

GT30001 ACU19 - 45° corner - G




A = 1000 mm

Pro-30 Triangle P Truss - Corner

MILOS

PT30002 ACB20 - corner 60° - P



A = 800 mm


Pro-30 Triangle Truss - Corner

MILOS

FT30003 ACF21 - 90° corner - F

GT30003 ACU21 - 90° corner - G

PT30003 ACB21 - corner 90° - P




A = 500 mm

Pro-30 Triangle Truss - Corner

MILOS

FT30005 ACF23 - 135° corner - F

PT30005 ACB23 - 135° corner - P



A = 500 mm


Pro-30 Triangle Truss - Corner apex up

MILOS

FT30006 ACF24 - 90° corner - F

GT30006 ACU24 - 90° corner - G

PT30006 ACB24 - 90° corner - P



A = 500 mm

B = 500 mm


Pro-30 Triangle Truss - Corner apex down

MILOS

FT30007 ACF25 - 90° corner - F

GT30007 ACU25 - 90° corner - G

PT30007 ACB25 - 90° corner - P



A = 500 mm

B = 500 mm


Pro-30 Triangle Truss - Corner down right - apex up

MILOS

FT30010 ALF31 - 90° corner - F

GT30010 ALU31 - 90° corner - G

PT30010 ALB31 - 90° corner - P



A = 500 mm

B = 500 mm

C = 500 mm


Pro-30 Triangle Truss - Corner down left - apex up

MILOS

FT30011 ALF32 - 90° corner - F

GT30011 ALU32 - 90° corner - G

PT30011 ALB32 - 90° corner - P



A = 500 mm

B = 500 mm

C = 500 mm


Pro-30 Triangle Truss - Corner down right - apex down

MILOS

FT30012 ALF33 - 90° corner - F

GT30012 ALU33 - 90° corner - G

PT30012 ALB33 - 90° corner - P



A = 500 mm

B = 500 mm

C = 500 mm


Pro-30 Triangle Truss - Corner down left - apex down

MILOS

FT30013 ALF34 - 90° corner - F

GT30013 ALU34 - 90° corner - G

PT30013 ALB34 - 90° corner - P



A = 500 mm

B = 500 mm

C = 500 mm

Pro-30 Triangle Truss - Corner up/down - right - 74 cm

MILOS

FT30014 ACF44 - 90° corner - F

GT30014 ACU44 - 90° corner - G

PT30014 ACB44 - 90° Corner - P



A = 500 mm

B = 500 mm

C = 742 mm


Pro-30 Triangle Truss - Corner up/down - left - 74 cm

MILOS

FT30015 ACF45 - 90° corner - F

GT30015 ACU45 - 90° corner - G

PT30015 ACB45 - 90° corner - P



A = 500 mm

B = 500 mm

C = 742 mm

Pro-30 Triangle Truss - Cross horizontal - 4-way - 71 cm MILOS

FT30016 ACF41 - 90° corner - F

GT30016 ACU41 - 90° corner - G

PT30016 ACB41 - 90° corner - P

A = 710 mm B = 710 mm



Pro-30 Triangle Truss - T-Cross horizontal - 3-way - apex down - 71 cm MILOS

FT30017 ATF36 - 90° corner - F

GT30017 ATU36 - 90° corner - G

PT30017 ATB36 - 90° corner - P

A = 710 mm B = 500 mm




Pro-30 Triangle Truss - T-Cross vertical - 3-way - apex down - 71 cm MILOS

FT30018 ATF35 - 90° corner - F

GT30018 ATU35 - 90° corner - G

PT30018 ATB35 - 90° corner - P

A = 710 mm B = 500 mm



Pro-30 Triangle Truss - T-Cross vertical - 3-way - apex up - 71 cm MILOS

FT30019 ATF35B - 90° corner - F

GT30019 ATU35B - 90° corner - G

PT30019 ATB35B - 90° corner - P

A = 710 mm B = 500 mm



Pro-30 Triangle Truss - T-Cross + down 4-way - 71 cm MILOS

FT30020 ATF42 - 90° corner - F

GT30020 ATU42 - 90° corner - G

PT30020 ATB42 - 90° corner - P

A = 710 mm B = 500 mm
C = 500 mm




Pro-30 Triangle Truss - T-Cross + up/down 5-way - 71 cm MILOS

FT30021 ATF51 - 90° corner - F

GT30021 ATU51 - 90° corner - G

PT30021 ATB51 - 90° corner - P

A = 710 mm B = 500 mm
C = 742 mm




Pro-30 Triangle Truss - Cross up/down 6-way - 71cm MILOS

FT30022 ACF61 - 90° corner - F

GT30022 ACU61 - 90° corner - G

PT30022 ACB61 - 90° Corner - P

A = 710 mm B = 710 mm
C = 742 mm



Pro-30 Triangle Truss - T-Cross up/down 3-way - 71 cm MILOS

FT30023 ATF37 - 90° corner - F

GT30023 ATU37 - 90° corner - G

PT30023 ATB37 - 90° corner - P

A = 742 mm B = 500 mm




Pro-30 Triangle Truss - Cross + down - 5-way - apex down - 71 cm MILOS

FT30024 ACF53 - 90° corner - F

GT30024 ACU53 - 90° corner - G

PT30024 ACB53 - 90° corner - P

A = 710 mm B = 710 mm
C = 500 mm



Pro-30 Triangle Truss - Cross + down 5-way - apex up - 71 cm MILOS

FT30025 ACF52 - 90° Corner - F

GT30025 ACU52 - 90° corner - G

PT30025 ACB52 - 90° corner - P

A = 710 mm B = 710 mm
C = 500 mm



Truss & SET Frame - Pro-30 Triangle



Pro-30 Triangle F Truss - Straight			Pro-30 Triangle G Truss - Straight			Pro-30 Triangle P Truss - Straight		
MILOS			MILOS			MILOS		
Product code	Length (m)	Main Tube Ø	Product code	Length (m)	Main Tube Ø	Product code	Length (m)	Main Tube Ø
FT30029	0.29 m	50 x 2 mm	GT30029	0.29 m	50 x 2 mm	PT30029	0.29 m	50 x 2 mm
FT30050	0.5 m	50 x 2 mm	GT30050	0.5 m	50 x 2 mm	PT30050	0.5 m	50 x 2 mm
FT30071	0.71 m	50 x 2 mm	GT30071	0.71 m	50 x 2 mm	PT30071	0.71 m	50 x 2 mm
FT30100	1 m	50 x 2 mm	GT30100	1 m	50 x 2 mm	PT30100	1 m	50 x 2 mm
FT30150	1.5 m	50 x 2 mm	GT30150	1.5 m	50 x 2 mm	PT30150	1.5 m	50 x 2 mm
FT30200	2 m	50 x 2 mm	GT30200	2 m	50 x 2 mm	PT30200	2 m	50 x 2 mm
FT30250	2.5 m	50 x 2 mm	GT30250	2.5 m	50 x 2 mm	PT30250	2.5 m	50 x 2 mm
FT30300	3 m	50 x 2 mm	GT30300	3 m	50 x 2 mm	PT30300	3 m	50 x 2 mm
FT30400	4 m	50 x 2 mm	GT30400	4 m	50 x 2 mm	PT30400	4 m	50 x 2 mm
FT30500	5 m	50 x 2 mm	GT30500	5 m	50 x 2 mm	PT30500	5 m	50 x 2 mm

Specifications:

- F-truss compatible with Prolite systems (Ø 27.8 mm)
- G-truss compatible with Global & Euro systems (Ø 29.0 mm)
- P-truss compatible with standard Milos truss systems (Ø 29.8 mm)

Truss & SET Frame - Pro-30 Square

Pro-30 Square Truss - Corner

MILOS

- FQ30001HDB** QCVF19 - 45° corner - heavy duty - black - F
GQ30001HDB QCVU19 - 45° corner - heavy duty - black - G




A = 1000 mm

Pro-30 Square Truss - Corner

MILOS

- FQ30001HD** QCVF19 - 45° corner - heavy duty - silver - F
GQ30001HD QCVU19 - 45° corner - heavy duty - silver - G



A = 1000 mm

Pro-30 Square Truss - T-cross + Down 4-way

MILOS

- FQ30020HDB** QLVF40 - 90° corner - heavy duty - black - F
GQ30020HDB QLVU40 - 90° corner - heavy duty - black - G




A = 710 mm B = 500 mm
 C = 500 mm

Pro-30 Square Truss - T-cross + Down 4-way

MILOS

- FQ30020HD** QLVF40 - 90° corner - heavy duty - silver - F
GQ30020HD QLVU40 - 90° corner - heavy duty - silver - G



A = 710 mm B = 500 mm
 C = 500 mm

Pro-30 Square Truss - T-Cross 3-way

MILOS

- FQ30017HDB** QTVF35 - 90° corner - heavy duty - black - F
GQ30017HDB QTVU35 - 90° corner - heavy duty - black - G




A = 710 mm B = 500 mm

Pro-30 Square Truss - T-Cross 3-way

MILOS

- FQ30017HD** QTVF35 - 90° corner - heavy duty - silver - F
GQ30017HD QTVU35 - 90° corner - heavy duty - silver - G



A = 710 mm B = 500 mm

Pro-30 Square Truss - Corner

MILOS

- FQ30004HDB** QCVF22 - 120° corner - heavy duty - black - F
GQ30004HDB QCVU22 - 120° corner - heavy duty - black - G




A = 500 mm

Pro-30 Square Truss - Corner

MILOS

- FQ30004HD** QCVF22 - 120° corner - heavy duty - silver - F
GQ30004HD QCVU22 - 120° corner - heavy duty - silver - G



A = 500 mm

Pro-30 Square Truss - Corner

MILOS

- FQ30005HDB** QCVF23 - 135° corner - heavy duty - black - F
GQ30005HDB QCVU23 - 135° corner - heavy duty - black - G



A = 500 mm

Pro-30 Square Truss - Corner

MILOS

- FQ30005HD** QCVF23 - 135° corner - heavy duty - silver - F
GQ30005HD QCVU23 - 135° corner - heavy duty - silver - G



A = 500 mm

Pro-30 Square Truss - Corner 3-way

MILOS

- FQ30012HDB** QLVF30 - 90° corner - heavy duty - black - F
GQ30012HDB QLVU30 - 90° corner - heavy duty - black - G




A = 500 mm B = 500 mm
 C = 500 mm

Pro-30 Square Truss - Corner 3-way

MILOS

- FQ30012HD** QLVF30 - 90° corner - heavy duty - silver - F
GQ30012HD QLVU30 - 90° corner - heavy duty - silver - G



A = 500 mm B = 500 mm
 C = 500 mm

Pro-30 Square Truss - Corner

MILOS

- FQ30002HDB** QCVF20 - 60° corner - heavy duty - black - F
GQ30002HDB QCVU20 - 60° corner - heavy duty - black - G



A = 800 mm

Pro-30 Square Truss - Corner

MILOS

- FQ30002HD** QCVF20 - 60° corner - heavy duty - silver - F
GQ30002HD QCVU20 - 60° corner - heavy duty - silver - G



A = 800 mm

Pro-30 Square Truss - Corner

MILOS

- FQ30003HDB** QCVF21 - 90° corner - heavy duty - black - F
GQ30003HDB QCVU21 - 90° corner - heavy duty - black - G



A = 500 mm

Pro-30 Square Truss - Corner

MILOS

- FQ30003HD** QCVF21 - 90° corner - heavy duty - silver - F
GQ30003HD QCVU21 - 90° corner - heavy duty - silver - G



A = 500 mm

Pro-30 Square Truss - Cross + Down 5-way

MILOS

- FQ30024HDB** QCV51 - 90° corner - heavy duty - black - F
GQ30024HDB QCVU51 - 90° corner - heavy duty - black - G




A = 710 mm B = 710 mm
 C = 500 mm

Pro-30 Square Truss - Cross + Down 5-way

MILOS

- FQ30024HD** QCVF51 - 90° corner - heavy duty - silver - F
GQ30024HD QCVU51 - 90° corner - heavy duty - silver - G



A = 710 mm B = 710 mm
 C = 500 mm

Truss & SET Frame - Pro-30 Square

Pro-30 Square Truss - Cross 4-way

MILOS

- FQ30016HDB** QCV41 - 90° corner - heavy duty - black - F
GQ30016HDB QCV41 - 90° corner - heavy duty - black - G




A = 710 mm B = 710 mm

Pro-30 Square Truss - Cross 4-way

MILOS

- FQ30016HD** QCVF41 - 90° corner - heavy duty - silver - F
GQ30016HD QCVU41 - 90° corner - heavy duty - silver - G




A = 710 mm B = 710 mm

Pro-30 Square Truss - Cross up/down 6-way - 50 cm

MILOS

- FQ300051** QCF65sp - 90° corner - silver - F
GQ300051 QCU51sp - 90° corner - silver - G
PQ300051 QCF51sp - 90° corner - silver - P




A = 500 mm B = 500 mm
C = 500 mm

Pro-30 Square Truss - Cross + Down 5-way - 50 cm

MILOS

- FQ300065** QCF51sp - 90° corner - silver - F
GQ300065 QCU51sp - 90° corner - silver - G
PQ300065 QCB65sp - 90° corner - silver - P




A = 500 mm B = 500 mm
C = 500 mm

Pro-30 Square Truss - Cross 4-way - 50 cm

MILOS

- FQ300041** QCU41sp - 90° corner - silver - F
GQ300041 QCU41sp - 90° corner - silver - G
PQ300041 QCB41sp - 90° corner - silver - P




A = 710 mm B = 710 mm

Pro-30 Square Truss - T-Cross + Down 4-way - 50 cm

MILOS

- FQ300040** QLF40sp - 90° corner - silver - F
GQ300040 QLU40sp - 90° corner - silver - G
PQ300040 QLP40sp - 90° corner - silver - P



A = 500 mm B = 500 mm
C = 500 mm

Pro-30 Square Truss - T-Cross 3-way - 50 cm

MILOS

- FQ300035** QTF35sp - 90° corner - silver - F
GQ300035 QTU35sp - 90° corner - silver - G
PQ300035 QTB35sp - 90° corner - silver - P



A = 500 mm B = 500 mm

Pro-30 Square F-Truss - Circle Corner

MILOS


- FQ30003C** QCF21-KRS - 90° corner - F
GQ30003C QCU21-KRS - 90° corner - G
PQ30003C QCB21-KRS - 90° corner - P



Pro-30 Square Truss - Corner

MILOS

- FQ300005** QCF23 - 135° corner - silver - F
GQ300005 QCU23 - 135° corner - silver - G



A = 500 mm

Pro-30 Square Truss - Circle Corner 3-way

MILOS


- FQ30012C** QLF30-KRS - 90° corner - circle - F
GQ30012C QLU30-KRS - 90° corner - circle - G
PQ30012C QLB30-KRS - 90° corner - circle - P



Pro-30 Square Truss - Corner

MILOS

- FQ300002** QCF20 - 60° corner - silver - F
GQ300002 QCU20 - 60° corner - silver - G




A = 800 mm

Pro-30 Square Truss - Corner

MILOS

- FQ300004** QCF22 - 120° corner - silver - F
GQ300004 QCU22 - 120° corner - silver - G



A = 500 mm

Pro-30 Square Truss - Corner 3-way

MILOS

- FQ30012B** QLF30 - 90° corner - black - F
- GQ30012B** QLU30 - 90° corner - black - G
- PQ30012B** QLB30 - 90° Corner - black - P

A = 500 mm B = 500 mm
C = 500 mm




Pro-30 Square Truss - Corner 3-way

MILOS

- FQ30012** QLF30 - 90° corner - silver - F
- GQ30012** QLU30 - 90° corner - silver - G
- PQ30012** QLB30 - 90° corner - P

A = 500 mm B = 500 mm
C = 500 mm



Pro-30 Square Truss - 4-way

MILOS

- FQ30016B** QCF41 - 90° corner - black - F
- GQ30016B** QCU41 - 90° corner - black - G

A = 710 mm B = 710 mm




Pro-30 Square Truss - 4-way -71cm

MILOS

- FQ30016** QCF41 - 90° corner - silver - F
- GQ30016** QCU41 - 90° corner - silver - G
- PQ30016** QCB41 - 90° Corner - silver - P

A = 710 mm B = 710 mm



Pro-30 Square Truss - T-Cross 3-way

MILOS

- FQ30017B** QTF35 - 90° corner - black - F
- GQ30017B** QTU35 - 90° corner - black - G
- PQ30017B** QTB 35 - 90° corner - black - P

A = 710 mm B = 500 mm



Pro-30 Square Truss - T-Cross 3-way - 71 cm

MILOS

- FQ30017** QTF35 - 90° corner - silver - F
- GQ30017** QTU35 - 90° corner - silver - G
- PQ30017** QTB35 - 90° corner - silver - P

A = 710 mm B = 500 mm



Pro-30 Square Truss - T-Cross + Down 4-way

MILOS

- FQ30020B** QLF40 - 90° corner - black - F

A = 710 mm B = 500 mm
C = 500 mm




Pro-30 Square Truss - T-Cross + Down 4-way - 71 cm

MILOS

- FQ30020** QLF40 - 90° corner - silver - F
- GQ30020** QLU40 - 90° corner - silver - G
- PQ30020** QLB40, 90° corner - silver - P

A = 710 mm B = 500 mm
C = 500 mm



Pro-30 Square Truss - Cross + Down 5-way

MILOS

- FQ30024B** QCF51 - 90° corner - black - F

A = 710 mm B = 710 mm
C = 500 mm




Pro-30 Square Truss - Cross + Down 5-way -71cm

MILOS

- FQ30024** QCF51 - 90° corner - silver - F
- GQ30024** QCU51 - 90° corner - silver - G
- PQ30024** QCB51 - 90° Corner - silver - P

A = 710 mm B = 710 mm
C = 500 mm



Pro-30 Square Truss - Corner

MILOS

- FQ30003B** QCF21 - 90° corner - black - F
- GQ30003B** QCU21 - 90° corner - black - G

A = 500 mm




Pro-30 Square Truss - Corner


MILOS

- FQ30003** QCF21 - 90° corner - silver - F
- GQ30003** QCU21 - 90° corner - silver - G
- PQ30003** QCB21 - 90° corner - silver - P

A = 500 mm



Truss & SET Frame - Pro-30 Square



Pro-30 Square F Truss - Straight - Heavy Duty - White MILOS			Pro-30 Square G Truss - Straight - Heavy Duty - White MILOS		
Product code	Length (mm)	Main Tube Ø	Product code	Length (mm)	Main Tube Ø
FQ30050HD	500 mm	48 x 3 mm	GQ30050HD	500 mm	48 x 3 mm
FQ30100HD	1000 mm	48 x 3 mm	GQ30100HD	1000 mm	48 x 3 mm
FQ30150HD	1500 mm	48 x 3 mm	GQ30150HD	1500 mm	48 x 3 mm
FQ30200HD	2000 mm	48 x 3 mm	GQ30200HD	2000 mm	48 x 3 mm
FQ30250HD	2500 mm	48 x 3 mm	GQ30250HD	2500 mm	48 x 3 mm
FQ30300HD	3000 mm	48 x 3 mm	GQ30300HD	3000 mm	48 x 3 mm
FQ30400HD	4000 mm	48 x 3 mm	GQ30400HD	4000 mm	48 x 3 mm

Pro-30 Square F Truss - Straight - Heavy Duty - Black MILOS			Pro-30 Square G Truss - Straight - Heavy Duty - Black MILOS		
Product code	Length (mm)	Main Tube Ø	Product code	Length (mm)	Main Tube Ø
FQ30050HDB	500 mm	48 x 3 mm	GQ30050HDB	500 mm	48 x 3 mm
FQ30100HDB	1000 mm	48 x 3 mm	GQ30100HDB	1000 mm	48 x 3 mm
FQ30150HDB	1500 mm	48 x 3 mm	GQ30150HDB	1500 mm	48 x 3 mm
FQ30200HDB	2000 mm	48 x 3 mm	GQ30200HDB	2000 mm	48 x 3 mm
FQ30250HDB	2500 mm	48 x 3 mm	GQ30250HDB	2500 mm	48 x 3 mm
FQ30300HDB	3000 mm	48 x 3 mm	GQ30300HDB	3000 mm	48 x 3 mm
FQ30400HDB	4000 mm	48 x 3 mm	GQ30400HDB	4000 mm	48 x 3 mm

Pro-30 Square F Truss - Straight - White MILOS			Pro-30 Square G Truss - Straight - White MILOS			Pro-30 Square P Truss - Straight - White MILOS		
Product code	Length (mm)	Main Tube Ø	Product code	Length (mm)	Main Tube Ø	Product code	Length (mm)	Main Tube Ø
FQ30029	290 mm	50 x 2 mm	GQ30029	290 mm	50 x 2 mm	PQ30029	290 mm	50 x 2 mm
FQ30050	500 mm	50 x 2 mm	GQ30050	500 mm	50 x 2 mm	PQ30050	500 mm	50 x 2 mm
FQ30071	710 mm	50 x 2 mm	GQ30071	710 mm	50 x 2 mm	PQ30071	710 mm	50 x 2 mm
FQ30100	1000 mm	50 x 2 mm	GQ30100	1000 mm	50 x 2 mm	PQ30100	1000 mm	50 x 2 mm
FQ30150	1500 mm	50 x 2 mm	GQ30150	1500 mm	50 x 2 mm	PQ30150	1500 mm	50 x 2 mm
FQ30200	2000 mm	50 x 2 mm	GQ30200	2000 mm	50 x 2 mm	PQ30200	2000 mm	50 x 2 mm
FQ30250	2500 mm	50 x 2 mm	GQ30250	2500 mm	50 x 2 mm	PQ30250	2500 mm	50 x 2 mm
FQ30300	3000 mm	50 x 2 mm	GQ30300	3000 mm	50 x 2 mm	PQ30300	3000 mm	50 x 2 mm
FQ30400	4000 mm	50 x 2 mm	GQ30400	4000 mm	50 x 2 mm	PQ30400	4000 mm	50 x 2 mm
FQ30500	5000 mm	50 x 2 mm	GQ30500	5000 mm	50 x 2 mm	PQ30500	5000 mm	50 x 2 mm

Pro-30 Square F Truss - Straight - Black MILOS			Pro-30 Square G Truss - Straight - Black MILOS			Pro-30 Square P Truss - Straight - Black MILOS		
Product code	Length (mm)	Main Tube Ø	Product code	Length (mm)	Main Tube Ø	Product code	Length (mm)	Main Tube Ø
FQ30050B	500 mm	50 x 2 mm	GQ30050B	500 mm	50 x 2 mm	PQ30050B	500 mm	50 x 2 mm
FQ30071B	710 mm	50 x 2 mm	GQ30071B	710 mm	50 x 2 mm			
FQ30100B	1000 mm	50 x 2 mm	GQ30100B	1000 mm	50 x 2 mm	PQ30100B	1000 mm	50 x 2 mm
FQ30150B	1500 mm	50 x 2 mm	GQ30150B	1500 mm	50 x 2 mm			
FQ30200B	2000 mm	50 x 2 mm	GQ30200B	2000 mm	50 x 2 mm	PQ30200B	2000 mm	50 x 2 mm
FQ30250B	2500 mm	50 x 2 mm	GQ30250B	2500 mm	50 x 2 mm	PQ30250B	2500 mm	50 x 2 mm
FQ30300B	3000 mm	50 x 2 mm	GQ30300B	3000 mm	50 x 2 mm	PQ30300B	3000 mm	50 x 2 mm
FQ30400B	4000 mm	50 x 2 mm	GQ30400B	4000 mm	50 x 2 mm	PQ30400B	4000 mm	50 x 2 mm

Specifications:

- F-truss compatible with Prolite systems (Ø 27.8 mm)
- G-truss compatible with Global & Euro systems (Ø 29.0 mm)
- P-truss compatible with standard Milos truss systems (Ø 29.8 mm)

Pro-30 Circles - Truss & SET Frame

FQ30 Square Truss Circle

MILOS

- FQ30C2** CrQTFd2000 - diameter 2 m
FQ30C4 CrQTFd4000 - diameter 4 m



FT30 Triangle Truss Circle

MILOS


- FT30C2** CrSTFd2000 - diameter 2 m
FT30C4 CrSTFd4000 - diameter 4 m
FT30C6 CrSTFd6000 - diameter 6 m
FT30C8 CrSTFd8000 - diameter 8 m



PQ30 Square Truss Circle

MILOS


- GQ30C2** CrQTUd2000 - diameter 2 m
GQ30C4 CrQTUd4000 - diameter 4 m
GQ30C8 CrQTUd8000 - diameter 8 m



GT30 Triangle Truss Circle

MILOS

- GT30C4** CrSTUd4000 - diameter 4 m



PQ30 Square Truss Circle

MILOS


- PQ30C2** CrQTBd2000 - diameter 2 m
PQ30C4 CrQTBd4000 - diameter 4 m
PQ30C8 CrQTBd8000 - diameter 8 m



Pro-30 Triangle P Truss Circle

MILOS

- PT30C2** CrSTBd2000 - diameter 2 m
PT30C4 CrSTBd4000 - diameter 4 m



Truss Accessories - Truss & SET Frame

Base Plate with Half Connector

MILOS

- ST50BPF** FBPSC - F

FEATURES:

- Provides solid base for F truss
- Half connector provides sturdy attachment
- Including locking pin and safety spring



Male fitting with M12x75 bolt

MILOS

- CON70B** Location pin for Book Corner M290/M390

FEATURES:

- For connection with MILOS truss
- Also suitable for other truss connection systems



Truss Protection Ring for 50 mm tube

SHOWGEAR

- 73055** Black

FEATURES:

- Suitable for 48-52 mm tubes
- Can be placed at any location of the tubes
- Available in grey and black



Truss Protection Ring for 50 mm tube

SHOWGEAR

- 73054** Grey

FEATURES:

- Suitable for 48-52 mm tubes
- Can be placed at any location of the tubes
- Available in grey and black



Aluminium Arm Coupler 500 mm

MILOS

- 75201** CELL213L2 - black

FEATURES:

- Half coupler welded with 500 mm pipe
- Suitable as moving head hanger
- Compatible with Eurotruss, Global Truss or Prolyte



Aluminium Arm Coupler 500 mm

MILOS

- 75200** CELL213L2 - silver

FEATURES:

- Half coupler welded with 500 mm pipe
- Suitable as moving head hanger
- Compatible with Eurotruss, Global Truss or Prolyte



Truss & SET Frame - Truss Accessories

Angled Arm Coupler

SHOWGEAR

E748031 WLL: 25 kg - black

FEATURES:

- Easy right-angle rigging
- Angled design for perfectly horizontal orientation



Angled Arm Coupler

SHOWGEAR

E748030 WLL: 25 kg - silver

FEATURES:

- Easy right-angle rigging
- Angled design for perfectly horizontal orientation



Half Connector Male M10

MILOS

BPFACS10 CON88F - F
BPGACS10 CON88U - G
BPPACS10 CON88B - P



Metal Deco-20 Triangle - Base Plate

SHOWGEAR

MDT20BP For MDT



Truss Transport Clip Pro-30 truss

MILOS

73056 TRA-CLI-2XD50 - black



Truss Carrier Pro-30

SHOWGEAR

73051 Black

FEATURES:

- Easy truss stacking




Truss Carrier for Pro-30

SHOWGEAR

73050 White

FEATURES:

- Easy truss stacking




Truss Carrier for Pro-30

SHOWGEAR

73057 Aluminium with black rubber

FEATURES:

- Easy truss stacking



Single Downrigger

SHOWGEAR

70477B Black - FT/FQ
70478B Black - GT/GQ



Single Downrigger

SHOWGEAR

70477 Aluminium - FT/FQ
70478 Aluminium - GT/GQ



Truss Castor for Pro-30

SHOWGEAR

73052 3 swiveling castors



Book Corner Pro-30 Truss

MILOS

BC30 QBB1 - receivers or half connectors not included



H-Downrigger

SHOWGEAR

- 70473B** Black - F
- 70474B** Black - G



H-Downrigger

SHOWGEAR

- 70473** Aluminium - F
- 70474** Aluminium - G



T-Downrigger

SHOWGEAR

- 70475B** Black - FT/FQ
- 70476B** Black - GT/GQ



T-Downrigger

SHOWGEAR

- 70475** Aluminium - FT/FQ
- 70476** Aluminium - GT/GQ



Single Tube Cube

MILOS

- STC50** Cube UNI - without half connectors



Single Tube Hinge

MILOS

- STH50** Hinge UNI - without half connectors



Truss Insert Ring

SHOWGEAR

- 70502** 80 cm - FQ
- 70503** 80 cm - GQ
- 70504** 115 cm - FQ
- 70505** 115 cm - GQ
- 70506** 145 cm - FQ
- 70507** 145 cm - GQ



Truss Top Ring 1000 mm

MILOS

- 70497** FQ
- 70498** GQ
- 70499** PQ



Pro-30 Square F Truss - Female Multicube Receiver

MILOS

- FQ30MCF** CON25F - F
- GQ30MCF** CON25U - G
- PQ30MCF** CON25B - P



Multi Cube Eco

MILOS

- MC30GFB** QC-M290 - black - GQ/FQ
- MC30PB** QC-M290B - black - PQ
- MC30GF** QC-M290U - aluminium - GQ/FQ
- MC30P** QC-M290B - aluminium - PQ



Half Connector Male M12

MILOS

- CON63F** CON63F - F
- CON63U** CON63U - G
- CON63** CON63B - P



Pro-30 Square - Multicube Connector M12

MILOS

- FQ30MCMC** CON56F - F
- GQ30MCMC** CON56U - G
- PQ30MCMC** CON56B - P



Truss & SET Frame - Truss Accessories

Universal Base Plate

WENTEX

BP600 600 x 600 mm
BP800 800 x 800 mm



Stabiliser Base with Wheels

SHOWGEAR

70030 for truss

FEATURES:

- Steel
- Extendable legs
- Built-in wheels
- Built-in spirit level



Deco-22 Truss - Pin

PIN22 PM - conical



MILOS

Deco-22 Truss - Pin

PIN22M6 PM M6 - conical - with M6 Thread



MILOS

Pro-30 P/F/G Truss - Pin

PIN30 PB - conical



MILOS

Pro-30 P/F/G Truss - Pin

PIN30M8 conical with M8 Thread



MILOS

Deco-22 Truss - Conical Spigot

DA22CS CCM



MILOS

Deco-22 Truss - Spacer

DASP10 CC MD 10 - 10 mm



MILOS

Deco-22 Truss - Spacer

DASP20 CC MD 20 - 20 mm



MILOS

G<>F Truss Adapter

PACSGF CCF/U



MILOS

G<>P Truss Adapter

PACSGP CCB/U



MILOS

P<>F Truss Adapter

PACSPF CCB/F



MILOS

Pro-30 F Truss - Half Conical Spigot

FACS12 CCF M12 - F



MILOS

Pro-30 F Truss - Conical Spigot

FACSM CCF - F



MILOS

Pro-30 F Truss - Spacer

FASP10 CCFD10 - 10 mm



MILOS

Pro-30 F Truss - Spacer

FASP20 CCFD20 - 20 mm



MILOS

Pro-30 F Truss - Spacer

FASP30 CCFD30 - 30 mm



MILOS

Pro-30 F Truss - Spacer

FASP40 CCFD40 - 40 mm



MILOS

Pro-30 F Truss - Spacer

FASP50 CCFD50 - 50 mm



MILOS

Pro-30 G Truss - Half Conical Spigot

GACS12 CCU M12 - G



MILOS

Pro-30 G Truss - Conical Spigot

GACSM CCU - G



MILOS

Pro-30 G Truss - Spacer

GASP10 CCUD10 - 10 mm



MILOS

Pro-30 G Truss - Spacer GASP20 CCUD20 - 20 mm  MILOS	Pro-30 G Truss - Spacer GASP30 CCUD30 - 30 mm  MILOS	Pro-30 G Truss - Spacer GASP40 CCUD40 - 40 mm  MILOS	Pro-30 G Truss - Spacer GASP50 CCUD50 - 50 mm  MILOS
Pro-30 P Truss - Half Conical Spigot PACS12 CCB M12 - P  MILOS	Pro-30 P Truss - Conical Spigot PACSM CCB - P  MILOS	Pro-30 P Truss - Spacer PASP10 CCB10 - 10 mm  MILOS	Pro-30 P Truss - Spacer PASP20 CCB20 - 20 mm  MILOS
Pro-30 P Truss - Spacer PASP30 CCB30 - 30 mm  MILOS	Pro-30 P Truss - Spacer PASP40 CCB40 - 40 mm  MILOS	Pro-30 P Truss - Spacer PASP50 CCB50 - 50 mm  MILOS	Safety Spring 30SPRING SRP B - Pro-30 P/F/G Truss  MILOS
Deco-22 Triangle truss - Triangle Base Plate DT22BP MWPT - female  MILOS	Deco-22 Triangle truss - Triangle Base Plate DT22BP2 MWPTC - male  MILOS	Deco-22 Quatro Truss - Square Base Plate DQ22BP MWPQ - female  MILOS	Deco-22 Quatro Truss - Square Base Plate DQ22BP2 MWPQC - male  MILOS
Pro-30 Step F Truss - Step Base Plate Female FS30BP FWPDC - F GS30BP UWPDC - G PS30BP BWPDC - P  MILOS	Pro-30 Step - Male Base Plate FS30BP2 FWPDC - F GS30BP2 UWPDC - G PS30BP2 BWPDC - P  MILOS		
Pro-30 Square F Truss - Square Base Plate Female FQ30BP FWPQ - F GQ30BP UWPQ - G PQ30BP BWPQ - P  MILOS	Pro-30 Square F Truss - Square Base Plate Male FQ30BP2 FWPQC - F GQ30BP2 UWPQC - G PQ30BP2 BWPQC - P  MILOS		

Truss & SET Frame - Truss Accessories

Pro-30 Triangle F Truss - Triangle Base Plate Female

MILOS

FT30BP FWPT - F
GT30BP UWPT - G
PT30BP BWPT - P



Pro-30 Triangle F Truss - Triangle Base Plate Male

MILOS

FT30BP2 FWPTC - F
GT30BP2 UWPTC - G
PT30BP2 BWPTC - P



Truss & SET Frame - Truss Furniture

Truss Tower

SHOWGEAR

70000 1 m
70001 1.5 m
70002 2 m



Truss Tower Spare Cloth

SHOWGEAR

700003 1 m - white
700013 1.5 m - white
700023 2 m - white



Truss Tower Spare Cloth

SHOWGEAR

700004 1 m - black
700014 1.5 m - black
700024 2 m - black



Mobile DJ Truss Stand Extension

SHOWGEAR

70090 50 cm
70091 100 cm



Mobile DJ Truss Stand

70148

SHOWGEAR

Specifications:

Width (mm): 3400 mm
 Height (mm): 2508 mm

Length (m): 1 m
 Main Tube Ø: 50 mm
 Weight: 36 kg

FEATURES:

- Heavy duty stand
- Quick and easy to build
- Compact and lightweight
- Compatible with GS system



Truss & SET Frame - Pro-35 Square



Pro-35 Rectangular F Truss - Multicube

FQ35MC RC-M290/390-HD

MILOS

Specifications:

Length (m): 0.3884 m
 Size: 290mm x 390mm

Main Tube Ø: 48 x 3 mm
 Weight: 7 kg
 Truss Sys.: F

FEATURES:

- Multicube for FQ35 Series
- CON63F and CON64F available as accessory
- Suitable for FQ35 (4 sides) or FQ30 truss (2 sides)



Pro-35 Square - Truss & SET Frame

Pro-35 Rectangular F Truss - Straight - Heavy Duty MILOS

Product code	Length (m)	Main Tube Ø
FQ35050	0.5 m	48 x 3 mm
FQ35100	1 m	48 x 3 mm
FQ35150	1.5 m	48 x 3 mm
FQ35200	2 m	48 x 3 mm
FQ35250	2.5 m	48 x 3 mm
FQ35300	3 m	48 x 3 mm
FQ35400	4 m	48 x 3 mm

Specifications:

- F-truss compatible with Prolite systems (Ø 27.8 mm)
- G-truss compatible with Global & Euro systems (Ø 29.0 mm)
- P-truss compatible with standard Milos truss systems (Ø 29.8 mm)



Pro-40 Square - Truss & SET Frame


Pro-40 Square F Truss - Corner - Heavy Duty

MILOS

FQ40005HD QCLF23 - 135° corner - F

GQ40005HD QCLU23 - 135° corner - G

A = 500 mm




Pro-40 Square F Truss - Corner - Heavy Duty

MILOS

FQ40001HD QCLF19 - 45° corner - F

GQ40001HD QCLU19 - 45° corner - G

A = 1000 mm




Pro-40 Square F Truss - Corner - Heavy Duty

MILOS

FQ40002HD QCLF20 - 60° corner - F

GQ40002HD QCLU20 - 60° corner - G

A = 800 mm



Pro-40 Square F Truss - Corner - Heavy Duty

MILOS

FQ40003HD QCLF21 - 90° corner - F

GQ40003HD QCLU21 - 90° corner - G

A = 500 mm



Pro-40 Square F Truss - T-cross + Down 4-way

MILOS

FQ40020HD QLLF40 - 90° corner - heavy duty - F

GQ40020HD QLLU40 - 90° corner - heavy duty - G

A = 710 mm

B = 500 mm

C = 500 mm




Pro-40 Square F Truss - Corner - Heavy Duty

MILOS

FQ40004HD QCLF22 - 120° corner - F

GQ40004HD QCLU22 - 120° corner - G

A = 500 mm



Pro-40 Square F Truss - Corner 3-way 90°

MILOS

FQ40012HD QLLF30 - 90° corner - heavy duty - F

GQ40012HD QLLU30 - 90° corner - heavy duty - G

A = 500 mm

B = 500 mm

C = 500 mm



Pro-40 Square F Truss - Cross + Down 5-way

MILOS

FQ40024HD QCLF51 - 90° corner - heavy duty - F

GQ40024HD QCLU51 - 90° corner - heavy duty - G

A = 710 mm

B = 710 mm

C = 500 mm



Truss & SET Frame - Pro-40 Square


Pro-40 Square F Truss - Cross 4-way

MILOS

- FQ40016HD** QCLF41 - 90° corner - heavy duty - F
GQ40016HD QCLFU41 - 90° corner - heavy duty - G

A = 710 mm

B = 710 mm




Pro-40 Square F Truss - T-Cross 3-way

MILOS

- FQ40017HD** QTLF35 - 90° corner - heavy duty - F
GQ40017HD QTLU35 - 90° corner - heavy duty - G

A = 710 mm

B = 500 mm



Pro-40 Square F - Straight - Heavy Duty

MILOS

Product code	Length (m)	Main Tube Ø
FQ40050HD	0.5 m	48 x 3 mm
FQ40100HD	1 m	48 x 3 mm
FQ40150HD	1.5 m	48 x 3 mm
FQ40200HD	2 m	48 x 3 mm
FQ40250HD	2.5 m	48 x 3 mm
FQ40300HD	3 m	48 x 3 mm
FQ40400HD	4 m	48 x 3 mm

Pro-40 Square G Truss - Straight - Heavy Duty

MILOS

Product code	Length (m)	Main Tube Ø
GQ40050HD	0.5 m	48 x 3 mm
GQ40100HD	1 m	48 x 3 mm
GQ40150HD	1.5 m	48 x 3 mm
GQ40200HD	2 m	48 x 3 mm
GQ40250HD	2.5 m	48 x 3 mm
GQ40300HD	3 m	48 x 3 mm
GQ40400HD	4 m	48 x 3 mm

Specifications:

- F-truss compatible with Prolyte systems (Ø 27.8 mm)
- G-truss compatible with Global & Euro systems (Ø 29.0 mm)
- P-truss compatible with standard Milos truss systems (Ø 29.8 mm)

Truss & SET Frame - Tower



MT-1 Tower 7.5 m

MT1-F for F Series truss

MT1-G for G Series truss

MILOS

Specifications:

Height (m):	7.5 m
Width (m):	2.876 m
Depth (m):	2.876 m

Size:	290 mm x 290 mm
Main Tube Ø:	48 x 3 mm
Weight:	201 kg
Truss Sys.:	F

FEATURES:

- Certified 48 mm heavy-duty tube
- Connection kit supplied with every truss length & junction
- Fast connection for quick, simple and secure assembly
- Great free-span & loading characteristics (up to 20 m)
- Including Chain Hoist (manual) and Chain Bag





MR1 Roof System incl. B1 canopy

MR164 6 x 4 m

MILOS

Specifications:

Height (m):	5.96 m
Width (m):	6.06 m
Depth (m):	5.43 m
Inner Width:	6000 mm
Inner Depth:	4400 mm
Size:	290 mm x 290 mm
Main Tube Ø:	48 x 3 mm
Weight:	1034 kg
WLL (kg):	540 kg
Truss Sys.:	FGP



MR1 Roof System incl. B1 canopy

MR186 8 x 6 m

MILOS

Specifications:

Height (m):	5.96 m
Width (m):	9.06 m
Depth (m):	7.48 m
Inner Width:	8000 mm
Inner Depth:	6400 mm
Size:	290 mm x 290 mm
Main Tube Ø:	48 x 3 mm
Weight:	1344 kg
WLL (kg):	540 kg
Truss Sys.:	FGP



MR1T Roof System incl. B1 canopy

MR1T106 10 x 6 m

MILOS

Specifications:

Height (m):	5.91 m
Width (m):	12.83 m
Depth (m):	8.48 m
Inner Width:	1050 mm
Inner Depth:	6150 mm
Size:	290 mm x 290 mm
Main Tube Ø:	48 x 3 mm
Weight:	1834 kg
WLL (kg):	1260 kg
Truss Sys.:	FGP



MR2 Roof System incl. B1 canopy

MR2108 10 x 8 m

MILOS

Specifications:

Height (m):	9.43 m
Width (m):	12.74 m
Depth (m):	10.97 m
Inner Width:	10420 mm
Inner Depth:	8.65 mm
Size:	290 mm x 290 mm
Main Tube Ø:	48 x 3 mm
Weight:	1950 kg
WLL (kg):	3480 kg
Truss Sys.:	FGP




MR2 Roof System incl. B1 canopy

MR2106 10 x 8 m

MILOS

Specifications:

Height (m):	9.43 m
Width (m):	12.74 m
Depth (m):	8.99 m
Inner Width:	1042 mm
Inner Depth:	6.65 mm
Size:	290 mm x 290 mm
Main Tube Ø:	48 x 3 mm
Weight:	1785 kg
Truss Sys.:	FGP



MR2 Roof System incl. PA Wings and B1 canopy

MR21210PA 12 x 10 m

MILOS

Specifications:

Height (m):	9.43 m
Width (m):	12.74 m
Depth (m):	10.97 m
Size:	290 mm x 290 mm
Main Tube Ø:	48 x 3 mm
Weight:	2100 kg
WLL (kg):	3480 kg
Truss Sys.:	FGP



A Modules

The **A Modules** build the top and bottom ends of your frame. They come with inner bracket connecting components for connecting corners and straight parts in one frame together. They slide into the profile that is extruded in the inside of the studs that make up the frame, much like keder strips. The included butterfly screws keep the straight and corner strips in place.

For a sturdy connection between multiple horizontally placed module frames, dedicated Module Clamps provide a fast and reliable link. Module Clamps are also available with an attached half coupler, which can be used to easily connect the frame to round tubing like Wentex Pipe & Drape Uprights or truss. For right-angled module connections there is the Module Clamp for Brace. This works like a regular Module Clamp, but an additional butterfly is included to fix the right-angled module in place.



3D Deco Panels

Wentex 3D Deco Panels are the perfect addition to a Wentex SET Frame to create a three-dimensional appearance. Two 50 x 100 cm A Modules can be squared up and the 3D Deco Panels can be mounted inside to create a stunning visual effect with the addition of (coloured) lights. As it is based on a Wentex SET Frame - A Module, it can be perfectly integrated into the SET Frame system.

The **Wentex 3D Deco Panel** SEG Stretch Cloth is used to cover the Deco Panel and create a smooth 3D surface. It is quickly and easily installed by pressing the silicone rubber edges into the profile in the SET Frame.



H Modules

The **H Modules** are used to extend an A Module up to the height that is needed (up to 6 metres maximum). They too come with inner bracket connecting components for connecting corners and straight parts in one frame together. The same Module Clamps can be used to connect multiple H Modules together horizontally, at a right angle, or to a round Pipe & Drape Upright or truss.

Please note that for connecting an **H Module** to an A Module you will need two additional pieces of the Wentex Connection Strip for SET Frame.



Fabric Silicone Edge Graphics

The **fabric** that displays the graphics is called **Silicone Edge Graphic**, or **SEG** for short. Most fabric printers are familiar with this concept and you can order your graphics from your local printer if they offer this service. The Wentex modules use a 14 x 3 mm silicone strip that is sewn into the edge of the fabric, much like a keder. Your printer will ask you for the details of your frame in order to produce the right dimensions of the fabric.



Wentex Applications

We have collected an overview of various **applications** where you can see how the **Wentex SET Frame Modules** can be used to create slick displays and visuals, exhibition stands and exposition walls.

Highlite Projects with Wentex SET Frame Modules

The **Wentex SET Frame modules** provide a flexible solution. There are several basic models that can be combined and extended to create a virtually endless framework up to 6 metres tall. For your inspiration, here are some examples of how we use the **SET Frame modules** ourselves:



Truss & SET Frame - SET Frame

SET Frame - A Module - 25 cm

WENTEX


- 86004** 25 (H) x 25 (W) cm
- 86013** 50 (H) x 25 (W) cm
- 86023** 75 (H) x 25 (W) cm
- 86033** 100 (H) x 25 (W) cm



SET Frame - A Module - 50 cm

WENTEX

- 86000** 25 (H) x 50 (W) cm
- 86010** 50 (H) x 50 (W) cm
- 86020** 75 (H) x 50 (W) cm
- 86030** 100 (H) x 50 (W) cm



SET Frame - A Module - 75 cm

WENTEX

- 86001** 25 (H) x 75 (W) cm
- 86011** 50 (H) x 75 (W) cm
- 86021** 75 (H) x 75 (W) cm
- 86031** 100 (H) x 75 (W) cm



SET Frame - A Module - 100 cm

WENTEX

- 86002** 25 (H) x 100 (W) cm
- 86003** 38 (H) x 100 (W) cm



SET Frame - A Module

WENTEX

- 86012** 50 (H) x 100 (W) cm
- 86103** 69 (H) x 100 (W) cm
- 86022** 75 (H) x 100 (W) cm
- 86104** 81 (H) x 100 (W) cm
- 86105** 94 (H) x 100 (W) cm
- 86032** 100 (H) x 100 (W) cm



SET Frame - H Module - Extension Piece

WENTEX

- 86110** 100 (H) x 25 (W) cm
- 86100** 100 (H) x 50 (W) cm
- 86101** 100 (H) x 75 (W) cm
- 86102** 100 (H) x 100 (W) cm



3D Deco Panel SEG Stretch Cloth

WENTEX

- 88800** For 3D Deco Panel - White - 100 x 100 cm



3D Deco Panel Venturi Open

WENTEX

- 88801** For 2x Wentex SET Frame - A Module 50 x 100 cm



3D Deco Panel Venturi Closed

WENTEX

- 88802** For 2x Wentex SET Frame - A Module 50 x 100 cm



3D Deco Panel Diagonal

WENTEX

- 88803** For 2x Wentex SET Frame - A Module 50 x 100 cm



3D Deco Panel Venturi Slim

WENTEX

- 88804** For 2x Wentex SET Frame - A Module 50 x 100 cm



3D Deco Panel Bridge

WENTEX

- 88805** For 2x Wentex SET Frame - A Module 50 x 100 cm



3D Deco Panel Wave

WENTEX

88806 For 2x Wentex SET Frame - A
Module 50 x 100 cm



3D Deco Panel Double Wave

WENTEX

88807 For 2x Wentex SET Frame - A
Module 50 x 100 cm



SET Frame - Cross Brace

WENTEX

86208 50 cm
86209 100 cm



Connection Bracket for Set Frame

WENTEX

86200 For connecting modules
along side



SET Frame - Module Clamp Half Coupler

WENTEX

86201 For connecting modules to
tubes



SET Frame - Module Swivel Clamp

WENTEX

86202 For connecting modules
back to back



SET Frame - Support Profile Clamp Half Coupler

WENTEX

86203 For connecting support
profiles to tubes



SET Frame - Support Swivel Clamp

WENTEX

86204 For connecting modules
back to back



SET Frame - Module Spacer

WENTEX

86205 50 cm
86206 100 cm



SET Frame - Side Plate Set

WENTEX

86210 Set of two - Grey



SET Frame 4-way coupling profile

WENTEX

86220 4.5 (W) x 25 (L) cm
86221 4.5 (W) x 50 (L) cm
86222 4.5 (W) x 100 (L) cm
86223 4.5 (W) x 200 (L) cm
86224 4.5 (W) x 250 (L) cm





PH2 Manual Chain Hoist 250 kg

70249 Lifting height 7 m

70224 Lifting height 8 m

70225 Lifting height 10 m

70226 Lifting height 12 m

ELLER

Specifications:

Chain:	Grade 80	Length (mm):	95 mm
Lift Height:	7/8/10/12 m	Height (mm):	259 mm
WLL (T):	0.25 T	Width (mm):	100 mm
		Weight:	10.8/12.1/14.6/17 kg

FEATURES:

- Galvanised lifting chain
- Brake at any desired height
- Robust all-steel construction
- Both hooks fitted with safety latches
- Reduced friction (roller or ball bearings)
- No overload protection



PHE1 Manual Chain Hoist 500 kg

70463 Lifting height 8 m

70465 Lifting height 10 m

70463 Lifting height 12 m

ELLER

Specifications:

Chain:	Grade 80	Length (mm):	114 mm
Lift Height:	8/10/12 m	Height (mm):	309 mm
WLL (T):	0.5 T	Width (mm):	110 mm
		Weight:	14.5/17.2/19.9 kg

FEATURES:

- Both hooks fitted with safety latches
- Brake at any desired height
- Powder-coated finish
- No overload protection



PH2 Manual Chain Hoist 500 kg

70251 Lifting height 6 m

70252 Lifting height 10 m

ELLER

Specifications:

Chain:	Grade 80	Length (mm):	114 mm
Lift Height:	6/10 m	Height (mm):	309 mm
WLL (T):	0.5 T	Width (mm):	110 mm
		Weight:	12.2/18.9 kg

FEATURES:

- Galvanised lifting chain
- Brake at any desired height
- Robust all-steel construction
- Both hooks fitted with safety latches
- Reduced friction (roller or ball bearings)
- With overload protection



PHE1 Manual Chain Hoist 1000 kg

- 70466** Lifting height 8 m
- 70467** Lifting height 10 m
- 70468** Lifting height 12 m

ELLER

Specifications:

Chain:	Grade 80	Length (mm):	152 mm
Lift Height:	8/10/12 m	Height (mm):	373 mm
WLL (T):	1 T	Width (mm):	139 mm
		Weight:	20.4/21.9/25 kg

FEATURES:

- Both hooks fitted with safety latches
- Brake at any desired height
- Powder-coated finish
- No overload protection



PH2 Manual Chain Hoist 1000 kg

- 70256** Lifting height 6 m
- 70229** Lifting height 8 m
- 70257** Lifting height 10 m
- 70230** Lifting height 12 m

ELLER

Specifications:

Chain:	Grade 80	Length (mm):	152 mm
Lift Height:	6/8/10/12 m	Height (mm):	373 mm
WLL (T):	1 T	Width (mm):	139 mm
		Weight:	17.8/20/24.3/26.8 kg

FEATURES:

- Galvanised lifting chain
- Brake at any desired height
- Robust all-steel construction
- Both hooks fitted with safety latches
- Reduced friction (roller or ball bearings)
- With overload protection



GIS Electric Chainhoist 250 kg

- 70790** 20 m - D8+

GIS

Specifications:

Pwr. Supp.:	400 VAC 3 Phase	SF:	8:1
Pwr. Conn. In.:	CEE4P 16 A	Lift Height:	20 m
Speed:	4 m/min	WLL (T):	0.25 T
		Weight:	19 kg

FEATURES:

- Safety factor 8:1
- With two brakes
- Protection class: IP65
- 250 kg as D8+ / 400 kg as D8





GIS Electric Chain Hoist 500 kg

70791 20 m - D8+

GIS

Specifications:

Pwr. Supp.:	400 VAC 3 Phase	SF:	8:1
Pwr. Conn. In.:	CEE4P 16 A	Lift Height:	20 m
Speed:	4 m/min	WLL (T):	0.5 T
		Weight:	35 kg

FEATURES:

- Safety Factor 8:1
- With two brakes
- Protection class: IP65
- 500 kg D8+ / 800 kg D8 SWL



CM Lodestar New Line 500 kg

70710 20 m chain - Direct Control (DC)

LODESTAR

Specifications:

Pwr. Supp.:	400 VAC 3 Phase	WLL (T):	0.5 T
Pwr. Conn. In.:	CEE4P 16 A	Length (mm):	530 mm
Speed:	4 m/min	Height (mm):	168 mm
SF:	5:1	Width (mm):	220 mm
Lift Height:	20 m	Weight:	30 kg



CM Lodestar New Line 1000 kg

70711 20 m chain - Direct Control (DC)

LODESTAR

Specifications:

Pwr. Supp.:	400 VAC 3 Phase	WLL (T):	1 T
Pwr. Conn. In.:	CEE4P 16 A	Length (mm):	582 mm
Speed:	4 m/min	Height (mm):	208 mm
Lift Height:	20 m	Width (mm):	320 mm
		Weight:	50 kg



PLE-30-40 - Direct Control Chain Hoist Controller - Box version

70236 4-Channel

70237 8-Channel

SHOWGEAR

Specifications:

Pwr. Supp.:	400 VAC 3 Phase	MCB Class:	Class D
Rated Curr. (A):	10 A	RCCB Class:	C
Pwr. Conn. In.:	CEE5P 32 A	Length (mm):	550 mm
Pwr. Conn. Out.:	CEE4P 16A / HAN16 Out	Height (mm):	220 mm
MCD Rated Curr.:	10 A	Width (mm):	465 mm
		Weight:	11.75 kg

FEATURES:

- Compact and versatile
- Including ABS Transport case
- 16-pin Multisocket output



PLE-30-040 - Direct Control Chain Hoist Controller

70282 4-Channel

70283 8-Channel

SHOWGEAR

Specifications:

Pwr. Supp.:	400 VAC 3 Phase	Height (mm):	178 mm
Pwr. Conn. In.:	CEE5P 32 A	Width (mm):	483 mm
Pwr. Conn. Out.:	CEE4P 16A / HAN16 Out	Depth (mm):	278 mm
MCD Rated Curr.:	10 A	Weight:	10 kg
MCB Class:	Class D	Rack Units:	4 U



Chain Bag for Chain Hoist

70279 150 mm x 200 mm

70278 175 mm x 225 mm

70277 190 mm x 370 mm

ELLER

Specifications:

Length (mm):	150/175/200 mm
Height (mm):	220/225/370 mm
Width (mm):	150/175/200 mm
Weight:	0.7 kg



Chain Bag for Chain Hoist

70242 250 mm x 460 mm - small

70243 260 mm x 560 mm - medium

70245 260 mm x 700 mm - large

SHOWGEAR

Specifications:

Max. Load:	20/25/35 kg
Length (mm):	260/460/560 mm
Height (mm):	150/700 mm
Width (mm):	250/260 mm
Weight:	0.9/1.4 kg



Rigging - Clamps

Quick Lock Bracket 2

SHOWGEAR

75151 107 mm centre-to-centre distance



Quick Lock Bracket for Spectral M800 / Revo

SHOWTEC

43639 Clamp



Mini Tent Clamp

SHOWGEAR

70390B SWL: 15 - 25 kg - metal - black
70390 SWL: 15 - 25 kg - metal - silver



Tent Clamp

SHOWGEAR

75161 WLL: 100 kg - metal - black
75160 WLL: 100 kg - metal - silver



Type Approved
Safety
Surveillance
www.tuv.com
ID 111258876



Tent Clamp

SHOWGEAR

70370B SWL: 150 kg - zinc - black
70370 SWL: 150 kg - zinc - silver



10-55 mm Multigrip Clamp

SHOWGEAR

75132 SWL: 25 kg - black - TÜV



Type Approved
Safety
Surveillance
www.tuv.com
ID 1419078671



Spigot for Multigrip Clamp

SHOWGEAR

75133 M10 x 25 mm



Spigot for Multigrip Clamp

SHOWGEAR

75134 3 / 8" - 16 mm



50 mm Heavy Duty Pipe Clamp

SHOWGEAR

75008B SWL: 30 kg - steel - black
75008S SWL: 30 kg - steel - silver



50 mm Heavy Duty Pipe Clamp

SHOWGEAR

70109B SWL: 30 kg - steel - black
70109S SWL: 30 kg - steel - silver



50 mm Pipe Clamp Long with Protection

SHOWGEAR

70099 SWL: 20 kg - steel - black



50 mm Universal PVC Pipe Clamp

SHOWGEAR

70114 SWL: 30 kg - PVC - black



Slide Complete

SHOWGEAR

70381 SWL: 100 kg - 10 mm mounting



Separate Slide Part

SHOWGEAR

70382 10 mm mounting



50 mm Compact Half Coupler

SHOWGEAR

75002B SWL: 150 kg - aluminium - black

75002 SWL: 150 kg - aluminium - silver



50 mm Half Coupler

SHOWGEAR

75003B SWL: 300 kg - aluminium - black

75003 SWL: 300 kg - aluminium - silver



50 mm SlimLine Half Coupler

SHOWGEAR

75001B SWL: 100 kg - aluminium - black

75001S SWL: 100 kg - aluminium - silver



50 mm Compact Swivel Coupler

SHOWGEAR

75004B SWL: 300 kg - aluminium - black

75004 SWL: 300 kg - aluminium - silver



50 mm Swivel Coupler

SHOWGEAR

75005B SWL: 500 kg - aluminium - black

75005 SWL: 500 kg - aluminium - silver



50 mm Quick Coupler

SHOWGEAR

75006B SWL: 100 kg - aluminium - black

75006 SWL: 100 kg - aluminium - silver



50 mm Q-Trigger Coupler

SHOWGEAR

75007B SWL: 100 kg - aluminium - black

75007S SWL: 100 kg - aluminium - silver



50 mm Universal Moving Head Clamp

SHOWGEAR

70368 SWL: 75 kg - mounting
72 -194 mm



32 mm Compact Half Coupler

SHOWGEAR

75000B SWL: 50 kg - aluminium - black

75000S SWL: 50 kg - aluminium - silver



32 mm Half Coupler

SHOWGEAR

75051 SWL: 100 kg - aluminium - black

75050 SWL: 100 kg - aluminium - silver



Type Approved
Safety
Surveillance

www.tuv.com
ID 1419052996

Rigging - Clamps

50 mm Half Coupler

SHOWGEAR

- 75061** SWL: 500 kg - aluminium - black
75060 SWL: 500 kg - aluminium - silver



Type Approved
Safety
Surveillance

www.tuv.com
ID 1419052996



50 mm Half Coupler

SHOWGEAR

- 75063** SWL: 300 kg - aluminium - black
75062 SWL: 300 kg - aluminium - silver



Type Approved
Safety
Surveillance

www.tuv.com
ID 1419052996



50 mm Half Coupler + Eye

SHOWGEAR

- 75073** SWL: 230 kg - aluminium - black
75072 SWL: 230 kg - aluminium - silver



50 mm Half Coupler + Eye

SHOWGEAR

- 75071** SWL: 340 kg - aluminium - black
75070 SWL: 340 kg - aluminium - silver



50 mm Compact Coupler

SHOWGEAR

- 75081** SWL: 75 kg - aluminium - black
75080 SWL: 75 kg - aluminium - silver



Type Approved
Safety
Surveillance

www.tuv.com
ID 1419052996



50 mm Swivel Coupler

SHOWGEAR

- 75091** SWL: 500 kg - aluminium - black
75090 SWL: 500 kg - aluminium - silver



Type Approved
Safety
Surveillance

www.tuv.com
ID 1419052996



50 mm Swivel Coupler

SHOWGEAR

- 75093** SWL: 300 kg - aluminium - black
75092 SWL: 300 kg - aluminium - silver



Type Approved
Safety
Surveillance

www.tuv.com
ID 1419052996



50 mm Fast Coupler

SHOWGEAR

- 75101** SWL: 150 kg - aluminium - black
75100 SWL: 150 kg - aluminium - silver



Type Approved
Safety
Surveillance

www.tuv.com
ID 1419052996



50 mm Quick Coupler

SHOWGEAR

- 75111** SWL: 150 kg - aluminium - black
75110 SWL: 150 kg - aluminium - silver



Type Approved
Safety
Surveillance

www.tuv.com
ID 1419052996



Bracket for Sunstrip LED, Pixelbar 16 Q6 & Edison Series

SHOWGEAR

- 75150** SWL: 150 kg - aluminium - 106 mm



Heavy duty marquee clamp

DOUGHTY

- 70204** 250 kg - 50-150 mm - black



LWH-1 LED Wall Hanger for Pro-30 / 40 truss

SHOWGEAR

- 75210** SWL: 500 kg - metal - black



50 mm Twenty Clamp

DOUGHTY

70332

SWL: 20 kg - aluminium - black



Safety Cables - Rigging

Safety Cable 3 mm - BGV-C1

SHOWGEAR

71700

WLL: 5 kg - 60 cm - black

71710

WLL: 8 kg - 100 cm - black



Safety cable 4 mm - BGV-C1

SHOWGEAR

71701

WLL: 10 kg - 60 cm - black

71711

WLL: 10 kg - 100 cm - black



Safety cable 5 mm - BGV-C1

SHOWGEAR

71702

WLL: 15 kg - 60 cm - black

71712

WLL: 15 kg - 100 cm - black



Safety cable 6 mm - BGV-C1

SHOWGEAR

71703

WLL: 20 kg - 60 cm - black

71713

WLL: 20 kg - 100 cm - black



Black wire rope 6 mm - BGV-C1

SHOWGEAR

70150

WLL: 135 kg - with cable glider and 6 m cable



Safety Cable 2 mm - Light Duty

SHOWGEAR

70110

WLL: 5 kg - 50 cm - black



Safety Cable 4 mm - Heavy Duty

SHOWGEAR

70111

WLL: 10 kg - 75 cm - black



Safety Cable 4 mm

SHOWGEAR

70140

WLL: 40 kg - 50 cm - silver



Rigging - Safety Cables

Safety Cable 6 mm

SHOWGEAR

70141 WLL: 60 kg - 75 cm - silver



Safety Cable 4 mm - with Safety Ring

SHOWGEAR

70147 WLL: 80 kg - 50 cm - silver

70152 WLL: 60 kg - 75 cm - silver



Safety Cable 5 mm - BGV-C1

SHOWGEAR

70159 WLL: 20 kg - 60 cm - silver

70169 WLL: 20 kg - 100 cm - silver



Safety Cable 3 mm

SHOWGEAR

70170 WLL: 5 kg - 60 cm - silver



Safety Cable 6 mm - BGV-C1

SHOWGEAR

70167 WLL: 36 kg - 100 cm - silver



Safety Cable 8 mm - BGV-C1

SHOWGEAR

70168 WLL: 80 kg - 100 cm - silver



Safety Cable 3 mm - BGV-C1

SAVEKING

70451 WLL: 20 kg - 60 cm - black

70453 WLL: 20 kg - 100 cm - black



Safety Cable 3 mm - BGV-C1

SAVEKING

70450 WLL: 20 kg - 60 cm - silver

70452 WLL: 20 kg - 100 cm - silver




Safety Cable 4 mm - BGV-C1

SAVEKING

70456 WLL: 40 kg - 60 cm - black

70457 WLL: 40 kg - 100 cm - silver

70454 WLL: 40 kg - 60 cm - silver




Safety Cable 5 mm - BGV-C1

SAVEKING

70460 WLL: 60 kg - 60 cm - black

70462 WLL: 60 kg - 100 cm - black



Safety Cable 5 mm - BGV-C1

SAVEKING

70459 WLL: 60 kg - 60 cm - silver

70461 WLL: 60 kg - 100 cm - silver



Sling 1 Ton WLL - Black

ELLER

- 70400** Working length 1 m
- 70401** Working length 1.5 m
- 70402** Working length 2 m
- 70403** Working length 3 m



Sling 2 Ton WLL - Black

ELLER

- 70409** Working length 1 m
- 70410** Working length 1.5 m
- 70411** Working length 3 m



Steel Sling 1 Ton WLL - Black

ELLER

- 70412** Working length 0.5 m
- 70413** Working length 1 m
- 70414** Working length 1.5 m



Steel Sling 2 Ton WLL - Black

ELLER

- 70416** Working length 1 m
- 70417** Working length 1.5 m
- 70424** Working length 2 m



Steel 1 Ton WLL - 10 mm 6 x 36 WS Core

ELLER

- 70440** Working length 1 m
- 70441** Working length 2 m
- 70442** Working length 3 m



Steel 1 Ton WLL + PVC - 10 mm 6 x 36 WS Core

ELLER

- 70440P** Working length 1 m
- 70441P** Working length 2 m
- 70442P** Working length 3 m



Steel 2 Ton WLL - 14 mm 6 x 36 WS Core

ELLER

- 70443** Working length 1 m
- 70444** Working length 2 m



Steel 2 Ton WLL + PVC - 14 mm 6 x 36 WS Core

ELLER

- 70443P** Working length 1 m
- 70444P** Working length 2 m
- 70445P** Working length 3 m



Rigging - Rigging Accessories

Beam Clamp

ELLER

- 70261** 1 Ton - 75-230 mm
- 70262** 2 Ton - 75-230 mm
- 70214** 3 Ton - 80-322 mm



Beam Clamp with Shackle

ELLER

- 70274** 2 Ton - 80-190 mm



Beam Clamp

ELLER

- 70276** 3 Ton - 127-350 mm
- 70275** 3 Ton - 76-190 mm



Ceiling Support with Shackle

MILOS

- 73060** 1 Ton - 290-400 mm - aluminium
- 73060B** 1 Ton - 290-400 mm - black



Cable Glider 50SV II M12

REUTLINGER


- 70433** WLL: 60 kg with Ø 4 mm - 90 kg with Ø 5 mm



Cable Glider 50SV II ZW Doughty Halfc. Slimline T58081

REUTLINGER


- 70435** WLL: 60 kg with Ø 4 mm - 90 kg with Ø 5 mm



Cable Glider 80SV II M20 Flying Eye 72 mm

REUTLINGER

- 70437** WLL: 60 kg with Ø 4 mm - 90 kg with Ø 5 mm



Tree/Pole Mounting Bracket

SHOWGEAR

- E748000** Tree/pole mounting bracket with Ø 48 mm tube



The Moustache Single Tube Clamp

SHOWGEAR

- 75120** Black
- 75121** Silver



50 mm Fix Clamp

SHOWGEAR

- 75123** Black
- 75122** Silver



Stage Weight 12.5 kg

SHOWGEAR

- 70392** Metal



Strap 25 mm

ELLER

- 71000** 3 m
- 71001** 5 m



Strap 25 mm

ELLER

71010 5 m - 500 kg



Strap 35 mm

ELLER

71011 3 m - 3000 kg

71012 5 m - 3000 kg



Strap 50 mm

ELLER

71013 9 m - 5000 kg



Double Strap 25 mm

ELLER

71014 3 m - 500 kg

71015 5 m - 500 kg



Double Strap 35 mm

ELLER

70418 5 m - 3000 kg

71016 8 m - 3000 kg



Double Strap 50 mm

ELLER

71017 5 m - 5000 kg

70419 8 m - 5000 kg

70420 9 m - 5000 kg



Chain Shackle, Shoulder Bolt

ELLER

70470 WLL: 2 Ton - black

70471 WLL: 3.25 Ton - black

70472 WLL: 4.75 Ton - black



Chain Shackle, Nut - Bolt

ELLER

70428 WLL: 1 Ton - silver



Chain Shackle, Shoulder Bolt

ELLER

70427 WLL: 6.5 Ton - silver



Chain Shackle, Nut - Bolt

ELLER

70426 WLL: 6.5 Ton - silver



Textiles - Backdrops

Backdrop Stagemoilton 320 g/m² 13 Shock Cords

SHOWGEAR

- 89010 Black - 300 (W) x 350 (H) cm
- 89020 Black - 300 (W) x 450 (H) cm
- 89023 Black - 300 (W) x 600 (H) cm
- 89030 Black - 300 (W) x 900 (H) cm



Backdrop Stagemoilton 320 g/m² 25 Shock Cords

SHOWGEAR

- 89011 Black - 600 (W) x 350 (H) cm
- 89021 Black - 600 (W) x 450 (H) cm
- 890261 Black - 600 (W) x 600 (H) cm
- 89031 Black - 600 (W) x 900 (H) cm



Bolt Dekomolton 160 g/m² - 1,3 m

WENTEX

- 89212 Black - 1.3 (W) x 60 (L) m
- 89211 White - 1.3 (W) x 60 (L) m



Bolt Dekomolton 160 g/m² - 3 m

WENTEX

- 89208 Black - 3 (W) x 60 (L) m
- 89202 Dark Grey - 3 (W) x 60 (L) m
- 89201 Light Grey - 3 (W) x 60 (L) m
- 89206 Red - 3 (W) x 60 (L) m
- 89200 White - 3 (W) x 60 (L) m



Deko Molton

SHOWGEAR

- 89203 3 m (W) - 60 m (L) - deep blue



Deko Molton

SHOWGEAR

- 89204 3 m (W) - 60 m (L) - navy blue



Stage Skirt Stagemoilton 320 g/m² Unpleated

SHOWGEAR

- 89087 Black - 600 (W) x 20 (H) cm
- 89088 Black - 600 (W) x 40 (H) cm
- 89051 Black - 600 (W) x 60 (H) cm
- 89089 Black - 600 (W) x 80 (H) cm
- 89050 Black - 600 (W) x 100 (H) cm



Backdrop Dekomolton 160 g/m²

SHOWGEAR

- 89132 Black - 300 (W) x 300 (H) cm
- 89133 Black - 300 (W) x 400 (H) cm
- 89131 Black - 600 (W) x 300 (H) cm



Textiles - Deco Textiles

Truss Cover Stretch 210 g/m²

SHOWGEAR

- 89224 White - 100 cm
- 89225 White - 200 cm
- 89226 White - 300 cm
- 89227 White - 30 m



Truss Cover Stretch 210 g/m²

SHOWGEAR

- 89234 Black - 100 cm
- 89235 Black - 200 cm
- 89236 Black - 300 cm
- 89237 Black - 30 m



Bolt Dekomolton 160 g/m²

WENTEX

- 89260 Black - 0.20 (W) x 60 (L) m
- 89261 Black - 0.40 (W) x 60 (L) m
- 89262 Black - 0.60 (W) x 60 (L) m
- 89263 Black - 0.80 (W) x 60 (L) m
- 89264 Black - 1.00 (W) x 60 (L) m



Stage Skirt MCS 300 g/m² Unpleated

WENTEX

- 89280 Black - 620 (W) x 40 (H) cm
- 89281 Black - 620 (W) x 60 (H) cm
- 89282 Black - 620 (W) x 80 (H) cm
- 89283 Black - 620 (W) x 100 (H) cm



Stage Skirt MCS 300 g/m² Pleated

WENTEX

- 89290** Black - 620 (W) x 40 (H) cm
- 89291** Black - 620 (W) x 60 (H) cm
- 89292** Black - 620 (W) x 80 (H) cm
- 89293** Black - 620 (W) x 100 (H) cm

**LED Drapes - Textiles****Star Dream****40429** 6x3 m - 128 RGB LEDs - incl. Controller**40430** 6x4 m - 128 RGB LEDs - incl. Controller

SHOWTEC

Specifications:

Light Src. Type:	LED	DMX Conn. In:	XLR 3P
LED Col. Type:	RGB	DMX Conn. Out:	XLR 3P
DMX Ch.:	5 / 12	Height (m):	3 m
Pwr. Supp.:	100-240 VAC 50-60 Hz	Width (m):	6 m
Pwr. Cons.:	100 W	Fabric Weight:	300 g/m ²
Pwr. Conn. In.:	Power Pro Blue	Fire Ret.:	BS EN 1101:1996+A1:2006

FEATURES:

- Certified Original Backdrop curtain with hook and loop and eyelets
- 128 RGB LEDs in 8 groups
- Built-in controller
- 3-in-1 RGB LEDs

**Star Dream****40427** 6x3 m - 144 white LEDs - incl. Controller

SHOWTEC

Specifications:

Light Src. Type:	LED	DMX Conn. In:	XLR 3P
LED Col. Type:	White	DMX Conn. Out:	XLR 3P
DMX Ch.:	5 / 12	Height (m):	3 m
Pwr. Supp.:	100-240 VAC 50-60 Hz	Width (m):	6 m
Pwr. Cons.:	100 W	Fabric Weight:	300 g/m ²
Pwr. Conn. In.:	Power Pro Blue	Fire Ret.:	BS EN 1101:1996+A1:2006

FEATURES:

- Certified Original Backdrop curtain with hook and loop and eyelets
- 144 white LEDs in 8 groups
- Built-in controller

**Star Dream****40428** 6x4 m - 192 white LEDs - incl. Controller

SHOWTEC

Specifications:

Light Src. Type:	LED	Pwr. Conn. In.:	Power Pro Blue
LED Col. Type:	White	DMX Conn. In:	XLR 3P
DMX Ch.:	5 / 12	DMX Conn. Out:	XLR 3P
Pwr. Supp.:	100-240 VAC 50-60 Hz	Height (m):	4 m
Pwr. Cons.:	100 W	Width (m):	6 m
		Fabric Weight:	440 g/m ²
		Fire Ret.:	BS EN 1101:1996+A1:2006

FEATURES:

- Certified Original Backdrop curtain with hook and loop and eyelets
- 192 white LEDs in 8 groups
- Built-in controller





Pipe & Drape Transport Trolley

89613 For 9 curtains plus support

WENTEX

Specifications:

Length (mm):	800 mm	Width (mm):	600 mm
Height (mm):	1933 mm	Colour:	Black

FEATURES:

- Up to 9 Pipe & Drape curtains plus support gear
- Up to 10x Upright, Drape Support, Base Plate, and Pin
- Truck pack friendly dimensions
- Two 100-mm swivel wheels with brakes and two fixed wheels
- Space saving



Base Plate Pin Holder

WENTEX

89616 for Pipe & Drape Transport Trolley



Base Plate Cover - White

WENTEX

89317 450 mm (L) x 450 mm (W)
89318 600 mm (L) x 600 mm (W)



Base Plate - Powder coated - White

WENTEX

89303 350 mm (L) x 300 mm (W) - 4 kg
89304 450 mm (L) x 450 mm (W) - 8 kg
89305 600 mm (L) x 600 mm (W) - 14 kg



Base Plate - Powder coated - Black

WENTEX

89300 350 mm (L) x 300 mm (W) - 4 kg
89301 450 mm (L) x 450 mm (W) - 8 kg
89302 600 mm (L) x 600 mm (W) - 14 kg



Base Plate Pin - Orange

WENTEX

89310 100 mm (H)
89311 200 mm (H)
89312 400 mm (H)



Fixed Upright

WENTEX

89325 100 cm (H) - black
89324 100 cm (H) - white



Fixed Upright

WENTEX

89320

120 cm (H) - black



Telescopic Upright - 2-way

WENTEX

89330

180 cm (H) - 300 cm (H) - black

89329

180 cm (H) - 300 cm (H) - white



Telescopic Upright 2-way

WENTEX

89327

120 cm (H) - 180 cm (H) - black

89326

120 cm (H) - 180 cm (H) - white



Telescopic Upright - 3-way

WENTEX

89331

180 cm (H) - 420 cm (H) - black

89334

180 cm (H) - 420 cm (H) - white



Telescopic Upright - 4-way Adjustable height

WENTEX

89349

180-500 cm - black

89348

180-500 cm - white





Textiles - Pipe & Drape

Telescopic Drape Support

WENTEX

- 89340** 90-120 cm (L) - black
- 89339** 90-120 cm (L) - white



Telescopic Drape Support

WENTEX

- 89341** 120-180 cm (L) - black
- 89346** 120-180 cm (L) - white



Telescopic Drape Support

WENTEX

- 89342** 180-300 cm (L) - black
- 89347** 180-300 cm (L) - white



T-Bar 60 cm

WENTEX

- 89391** Black



4-way Connector Replacement Ø35 mm

WENTEX

- 89543** Black
- 89549** White



4-way Connector Replacement Ø40.6 mm

WENTEX

- 89542** Black
- 89548** White



4-way Connector Replacement Ø45.7 mm

WENTEX

- 89551** Black
- 89550** White



4-way Connector Replacement Ø50.8 mm

WENTEX

- 89540** Black
- 89547** White



Rotary Knob for Drape Support

WENTEX

- 89354** M10 x 12 - black



Innovative Systems (round) Drape Support Adapter Kit

WENTEX

- 89383** Inner Ø31 mm - outer Ø36 mm - black
- 89385** Inner Ø31 mm - outer Ø36 mm - white



Rotary Knob for Drape Support

WENTEX

- 89351** M10 x 12 mm - black
- 89350** M10 x 12 mm - white



Rotary Knob for Upright

WENTEX

- 89353** M10 x 20 mm - black
- 89352** M10 x 20 mm - white



Single Spigot for Pipe & Drape

WENTEX

89384 M10 x 20 mm



Angled Bracket with 4-way Connector

WENTEX

89514 With 50 mm clamp



4-Point Connector

WENTEX

89390 Black



Rope for Bollard

WENTEX

89516B Black - 1.5 m
89516U Blue - 1.5 m
89516R Red - 1.5 m



Flex Adapter for 4-way Connector

WENTEX

89533 Black



Angled Bracket for 4-way Connector

WENTEX

89512 Black



Ropeholder for Upright

WENTEX

89515 Black



4-way connector with clamp

WENTEX

89360 For Wentex Upright



Wardrobe Strip

WENTEX

89518 25 cm - 8 hooks



Base Plate Trolley

MILOS

70590 For 8x 600 x 600 mm Base Plate



P&D Curtain Wagner Hook

WENTEX

89321 Black



Textiles - Pipe & Drape

P&D Curtain MGS 175 g/m² Pleated

WENTEX

- 89415** Black - 300 (W) x 120 (H) cm
- 89419** Black - 300 (W) x 250 (H) cm
- 89411** Black - 300 (W) x 300 (H) cm
- 89413** Black - 300 (W) x 400 (H) cm
- 89422** Black - 300 (W) x 500 (H) cm



P&D Curtain MGS 175 g/m² Pleated

WENTEX

- 89414** White - 300 (W) x 120 (H) cm
- 89418** White - 300 (W) x 250 (H) cm
- 89410** White - 300 (W) x 300 (H) cm
- 89412** White - 300 (W) x 400 (H) cm
- 89421** White - 300 (W) x 500 (H) cm



P&D Curtain MCS 300 g/m² Pleated

WENTEX

- 89431** Black - 300 (W) x 120 (H) cm
- 89432** Black - 300 (W) x 250 (H) cm
- 89433** Black - 300 (W) x 300 (H) cm
- 89434** Black - 300 (W) x 400 (H) cm
- 89435** Black - 300 (W) x 500 (H) cm



Voile CS Curtain - 55 g/m² Unpleated

SHOWGEAR

- 89460** Black - 300 (W) x 300 (H) cm
- 89462** Black - 300 (W) x 400 (H) cm
- 89461** White - 300 (W) x 300 (H) cm
- 89463** White - 300 (W) x 400 (H) cm



P&D Curtain Dimout 260 g/m² Pleated

WENTEX

- 89441** Black - 300 (W) x 300 (H) cm
- 89444** Blue - 300 (W) x 300 (H) cm
- 89445** Brown - 300 (W) x 300 (H) cm
- 89447** Dark Grey - 300 (W) x 300 (H) cm
- 89446** Light Grey - 300 (W) x 300 (H) cm
- 89443** Red - 300 (W) x 300 (H) cm
- 89440** White - 300 (W) x 300 (H) cm
- 89442** Yellow - 300 (W) x 300 (H) cm



P&D Curtain Dimout 260 g/m² Pleated

WENTEX

- 89449** Black - 300 (W) x 400 (H) cm
- 89452** Blue - 300 (W) x 400 (H) cm
- 89453** Brown - 300 (W) x 400 (H) cm
- 89455** Dark Grey - 300 (W) x 400 (H) cm
- 89454** Light Grey - 300 (W) x 400 (H) cm
- 89451** Red - 300 (W) x 400 (H) cm
- 89448** White - 300 (W) x 400 (H) cm
- 89450** Yellow - 300 (W) x 400 (H) cm



P&D Curtain Molton 300 g/m² Pleated

WENTEX

- 89880** Black - 330 (W) x 250 (H) cm
- 89882** Black - 330 (W) x 300 (H) cm
- 89884** Black - 330 (W) x 400 (H) cm



P&D Curtain Molton 300 g/m² Pleated

WENTEX

- 89881** Black - 400 (W) x 250 (H) cm
- 89883** Black - 400 (W) x 300 (H) cm
- 89885** Black - 400 (W) x 400 (H) cm



P&D Curtain Molton 300 g/m² Unpleated

WENTEX

- 89890** Black - 330 (W) x 250 (H) cm
- 89892** Black - 330 (W) x 300 (H) cm
- 89894** Black - 330 (W) x 400 (H) cm



P&D Curtain Molton 300 g/m² Unpleated

WENTEX

- 89891** Black - 400 (W) x 250 (H) cm
- 89893** Black - 400 (W) x 300 (H) cm
- 89895** Black - 400 (W) x 400 (H) cm



P&D Chromakey Curtain Molton 300 g/m² Green Screen

WENTEX

- 89480** 290 (W) x 300 (H) cm
- 89481** 590 (W) x 300 (H) cm
- 89482** 290 (W) x 400 (H) cm
- 89483** 590 (W) x 400 (H) cm



P&D Curtain MGS 175 g/m² Unpleated

WENTEX

- 89401** Black - 280 (W) x 120 (H) cm
- 89400** White - 280 (W) x 120 (H) cm




Pipe & Drape - Textiles

String Curtain Black - 220 gram/m² Unpleated

WENTEX


- 89162** 300 cm (W) x 300 cm (H)
- 89165** 300 cm (W) x 400 cm (H)
- 89168** 300 cm (W) x 600 cm (H)



String Curtain Grey - 220 gram/m² Unpleated

WENTEX


- 89161** 300 cm (W) x 300 cm (H)
- 89164** 300 cm (W) x 400 cm (H)
- 89167** 300 cm (W) x 600 cm (H)



String Curtain White - 220 gram/m² Unpleated

WENTEX

- 89160** 300 cm (W) x 300 cm (H)
- 89163** 300 cm (W) x 400 cm (H)



Bag - Soft Nylon - Black

WENTEX

- 89392** 150 (L) x 16 (W) x 35 (H) cm
- 89393** 185 (L) x 16 (W) x 35 (H) cm
- 89394** 210 (L) x 16 (W) x 35 (H) cm
- 89395** 250 (L) x 16 (W) x 35 (H) cm



Eurotrack - Textiles

Eurotrack - Rail - Black

- 89500** 200 cm (L) - anodised
- 89501** 500 cm (L) - anodised



WENTEX

Eurotrack - Corner 90° - black

- 89506** R=500 mm - stop 200 mm
- 89505** R=1000 mm - stop 200 mm



WENTEX

Eurotrack manual switch 2-way

- 89560** Switch between two types of drapes



WENTEX

Eurotrack - Ceiling Mount - black

- 89510** Powder coated



WENTEX

Eurotrack Ceiling Mount

- 89562** Fast Mount



WENTEX

Eurotrack - Universal mounting bracket - Black

- 89511** Powder coated



WENTEX

Eurotrack - Connection Strip - black

- 89513** Powder coated



WENTEX

Eurotrack - Wall Arm, Black

- 89532** 100 mm - black



WENTEX

Eurotrack - Wall Arm, Black

- 89537** 200 mm - black



WENTEX

Eurotrack - Wall Arm - black

- 89538** 300 mm - black



WENTEX

Eurotrack - Rope Connector Curved

- 895361** For Heavy Duty Runner - black



WENTEX


Rope Guide, Black

- 89519** 3 Wheels - powder coated




WENTEX


Textiles - Eurotrack

Rope Guide - black 89524 4 Wheels - powder coated  WENTEX	Eurotrack - Rope 8 mm - per metre 89561 Black  WENTEX	Eurotrack - Rope 8 mm - 100 m 89534 Black - on spool  WENTEX	Eurotrack - Rope 8 mm - 100 m 89535 White - on spool  WENTEX
Eurotrack - Runner - 2 wheel 89521 Black 89520 White  WENTEX	Eurotrack - Rope Guide Black 89564  WENTEX	Eurotrack - Sliding Nut 89529 M10  WENTEX	Eurotrack - Heavy Duty (HD) Runner - Black 89525 4 x 4 Wheels  WENTEX
Eurotrack - Overlap Arm 89522 Black  WENTEX	Eurotrack - End stop 89523 Black  WENTEX	Eurotrack - Ballast Bag - 5 kg 89528 Black  WENTEX	Eurotrack - Return Pulley - Black 89526 Time wheel - 85 mm  WENTEX
Eurotrack - Rope Connector straight 89536 for Heavy Duty Runner - black  WENTEX	Eurotrack - Double Wheel Pulley 89527 Time wheel - 85 mm - black  WENTEX	Eurotrack - Floor Pulley 89530 Black  WENTEX	





Textile Accessories - Textiles

Rapido - Curtain Clamp 50 mm 89097 Black 89096 White  WENTEX	Key Ring for Rapido Curtain Clamp 89099 Bag of 100 pcs  WENTEX	Gripon Tube Curtain Clamp 89105 For 32 - 51 mm tubes  SHOWGEAR	Gripon Step Kabuki Cord - 5 m 89107 With 21 hooks  SHOWGEAR
GriponBase Curtain hook 89106 Black  SHOWGEAR	Holdon Midi Clip 89092 Black 89093 White  HOLDON	Holdon Mini Clip 89094 Black 89098 White  HOLDON	Shock Cord 25 cm 89090 Black 89091 White  SHOWGEAR
Hook and Loop Fastener - Loop Side 89100 Black - 20 mm x 100 m - sew-on  SHOWGEAR	Hook and Loop Tape - Hook Side 89101 Black - 20 mm x 25 m - self-adhesive  SHOWGEAR	Hook and Loop Tape - Hook Side 89103 Grey - 20 mm x 25 m - self-adhesive  SHOWGEAR	Sew-on Loop Tape 89104 2 cm x 50 m - black  SHOWGEAR

The logo for HIGHLITE, featuring a stylized 'H' icon followed by the word 'HIGHLITE' in a bold, sans-serif font.The logo for eqc, featuring the letters 'eqc' in a bold, sans-serif font, with a small 'grupo' in a script font above the 'c'.
extreme quality control

C/ Calibre 55, 28400 Collado Villalba, Madrid
Tel: (+34) 91 850 50 87 / (+34) 667 67 86 54

Web: <https://eqcgrupo.com>
E-mail: info@eqcgrupo.com

@EQCextremequalitycontrol
Instagram: @eqcgrupo
Twitter: @eqc_grupo